



ADDENDUM N. 2

“Internet Protocol (IP) Based Surveillance Camera and Door Access Control Systems”

TSC RFP 20-14

The following changes are hereby incorporated into the Request for Proposal “Internet Protocol (IP) Based Surveillance Camera and Door Access Control System”. All proposal’s statements submitted for consideration shall be bound by the information contained in this addendum.

***Item Section and Description**

Item 1. Modification to the RFP solicitation document. Section 3. Submission of proposals. Submittal Deadline.

The submission deadline has been changed. The College will accept proposals until Wednesday, July 1, 2020 at 2:00 p.m. local time.

A second non-mandatory campus walk-through has been scheduled for Wednesday, June 17, 2020 at 9:00 a.m. The walk-through will start at Newman Center of the Fort Brown Campus.

Item 3. Question and Answer Session:

1. To be able to accurately bid this project we need a set of drawings of the campus and current camera locations, are these available to bidders?

Answer: See Exhibit A and B.

2. Need specifics on the existing cameras to ensure the existing recording space is adequate.

Answer: See Exhibit B

3. Need a detailed list of doors with door schedule types (crash bar, lever set, cylindrical/mortise, etc.)

Answer: See Exhibit C

4. Please provide a list of fire alarm system make and models for each building effected.

Answer: See Exhibit D


5. Please provide emergency call box manufacturer/make/model/software revision. Is an integration desired?

Answer: HUBBELL GAI-TRONICS, Mod: 393AL-001.

6. Please provide a list of controller schedule that shows the amount of doors and the amount of doors on each controller?

Answer: See Exhibit E

Exhibit A



License

Software license code

M01-C01-113-01-6C4EF8

Milestone Care

Your current level: Basic

Milestone Care Plus expires: 11/16/2018

Automatic activation:

Automatic activation is disabled.

License information

| Type | Total activated | Total obtained | Activated | Changes without activation | In Grace Period | Grace Period Expired | Without License |
|-----------------------------------|-----------------|----------------|-----------|----------------------------|-----------------|----------------------|-----------------|
| Hardware Device | 108 | 108 | 108 | 0 out of 16 | 0 | 0 | 0 |
| Milestone Interconnect camera | 0 | 0 | 0 | N/A | 0 | 0 | 0 |
| Milestone Interconnect microphone | 0 | 0 | 0 | N/A | 0 | 0 | 0 |
| Milestone Interconnect speaker | 0 | 0 | 0 | N/A | 0 | 0 | 0 |
| Milestone Interconnect metadata | 0 | 0 | 0 | N/A | 0 | 0 | 0 |
| Milestone Interconnect input | 0 | 0 | 0 | N/A | 0 | 0 | 0 |
| Milestone Interconnect output | 0 | 0 | 0 | N/A | 0 | 0 | 0 |

Installed products

| | | |
|-------------------------------|------------------------------|-----------------------|
| Milestone XProtect Smart Wall | <i>Software license code</i> | M01-P03-100-01-6C2DFC |
|-------------------------------|------------------------------|-----------------------|

Server information

Version: 11.3a

Site information

| Name | Description |
|-----------|--|
| Site Name | TSC |
| Address | 80 Ft. Brown St., Brownsville TX 78520 |

Admin

American Surveillance Company Inc.
(956) 504-5656
jescobedo@americansurveillanceco.com
bvasquez@americansurveillanceco.com

Recording servers

ASC-RS1.ad.tsc.edu

Info

| | |
|----------------------------------|---|
| <i>Name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Description:</i> | RS1 is located in the MDF @ Tandy Building, left rack middle stack. |
| <i>Host name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Local web server address:</i> | http://asc-rs1.ad.tsc.edu:7563/ |
| <i>Web server address:</i> | |
| <i>Time zone:</i> | (UTC-06:00) Central Time (US & Canada) |
| <i>Platform:</i> | 64-bit |

Hardware list

| Name | Enabled |
|---|-------------------------------------|
| Avigilon 1.0C-H4IRPTZ-DP45-WP (10.20.7.155) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.7) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.12) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.27) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.28) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.43) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.44) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.54) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.55) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) | <input checked="" type="checkbox"/> |
| AXIS FA54 Main Unit (10.20.7.20) | <input checked="" type="checkbox"/> |
| AXIS M3047-P Network Camera (10.20.7.48) | <input checked="" type="checkbox"/> |
| AXIS M3047-P Network Camera (10.20.7.49) | <input checked="" type="checkbox"/> |
| AXIS P1405-LE Mk II Network Camera (10.20.7.41) | <input checked="" type="checkbox"/> |
| AXIS P1405-LE Mk II Network Camera (10.20.7.42) | <input checked="" type="checkbox"/> |
| AXIS P1405-LE Mk II Network Camera (10.20.7.45) | <input checked="" type="checkbox"/> |
| AXIS P1405-LE Mk II Network Camera (10.20.7.50) | <input checked="" type="checkbox"/> |
| AXIS P1405-LE Mk II Network Camera (10.20.7.51) | <input checked="" type="checkbox"/> |
| AXIS P1405-LE Mk II Network Camera (10.20.7.56) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.5) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.6) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.8) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.10) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.13) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.14) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.18) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.19) | <input checked="" type="checkbox"/> |

| | |
|---|-------------------------------------|
| AXIS P3225-LV Mk II Network Camera (10.20.7.21) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.22) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.23) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.24) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.25) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.26) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.57) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.77) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.78) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.79) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.151) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.7.152) | <input checked="" type="checkbox"/> |
| AXIS P3707-PE Network Camera (10.20.7.15) | <input checked="" type="checkbox"/> |
| AXIS P3707-PE Network Camera (10.20.7.60) | <input checked="" type="checkbox"/> |
| AXIS P3717-PLE Network Camera (10.20.7.106) | <input checked="" type="checkbox"/> |
| AXIS P3717-PLE Network Camera (10.20.7.107) | <input checked="" type="checkbox"/> |
| AXIS P3717-PLE Network Camera (10.20.7.108) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.31) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.40) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.47) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.53) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.61) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.12) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.8) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.30) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.46) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.59) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.62) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.63) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.8.13) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.9.9) | <input checked="" type="checkbox"/> |

Storage

| | |
|-------------------------|------------------------|
| <i>Storage name</i> | RS1 Default Recordings |
| <i>Device count:</i> | 439 |
| <i>Default storage:</i> | Yes |
| <i>Path:</i> | D:\MediaDatabase |
| <i>Retention time:</i> | 1 day |
| <i>Maximum size:</i> | 550 GB |
| <i>Signing:</i> | No |
| <i>Encryption:</i> | None |

Archive 1

| | |
|---------------------------|--|
| <i>Name:</i> | Archive 1 |
| <i>Path:</i> | E:\ |
| <i>Retention time:</i> | 30 days |
| <i>Maximum size:</i> | 18.6 TB |
| <i>Schedule:</i> | Occurs every day every 4 hour(s) between 00:00 and 23:59 |
| <i>Reduce frame rate:</i> | Disabled |

Failover

| | |
|---|-------|
| <i>Primary failover group:</i> | FO1 |
| <i>Secondary failover group:</i> | - |
| <i>Failover service communication port (TCP):</i> | 11000 |

Multicast

| | |
|--------------------------------|-----------|
| <i>IP address range start:</i> | 232.0.1.0 |
| <i>IP address range end:</i> | 232.0.1.0 |
| <i>Port range start:</i> | 6000 |
| <i>Port range end:</i> | 7000 |
| <i>Source IP address:</i> | 0.0.0.0 |
| <i>MTU:</i> | 1500 |
| <i>TTL:</i> | 32 |

Network

Public access not enabled.

ASC-RS2.ad.tsc.edu

Info

| | |
|----------------------------------|---|
| <i>Name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Description:</i> | RS2 is located in the MDF @ Tandy Building, left rack middle stack. |
| <i>Host name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Local web server address:</i> | http://asc-rs2.ad.tsc.edu:7563/ |
| <i>Web server address:</i> | |
| <i>Time zone:</i> | (UTC-06:00) Central Time (US & Canada) |
| <i>Platform:</i> | 64-bit |

Hardware list

| Name | Enabled |
|---|-------------------------------------|
| AXIS F44 Dual Audio Input Network Camera (10.20.7.81) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.82) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.83) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.88) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.89) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.8.3) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.8.4) | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.8.9) | <input checked="" type="checkbox"/> |
| AXIS FA54 Main Unit (10.20.7.72) | <input checked="" type="checkbox"/> |

| | |
|--|-------------------------------------|
| AXIS M3024-L Network Camera (10.20.7.32) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.8.5) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.8.6) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.8.7) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.8.8) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.9.3) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.9.4) | <input checked="" type="checkbox"/> |
| AXIS P3225-LV Mk II Network Camera (10.20.9.5) | <input checked="" type="checkbox"/> |
| AXIS P3707-PE Network Camera (10.20.7.71) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.64) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.73) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.75) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.84) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.86) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.91) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.93) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.95) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.97) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.101) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.103) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.10) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.14) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.16) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.6) | <input checked="" type="checkbox"/> |
| AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.10) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.65) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.74) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.76) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.85) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.87) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.92) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.94) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.96) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.98) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.102) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.7.104) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.8.11) | <input checked="" type="checkbox"/> |

| | |
|---|-------------------------------------|
| AXIS Q6155-E PTZ Dome Network Camera (10.20.8.15) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.8.17) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.9.7) | <input checked="" type="checkbox"/> |
| AXIS Q6155-E PTZ Dome Network Camera (10.20.9.11) | <input checked="" type="checkbox"/> |

Storage

| | |
|--------------------------|------------------------|
| <i>Storage name</i> | RS2 Default Recordings |
| <i>Device count</i> : | 280 |
| <i>Default storage</i> : | Yes |
| <i>Path</i> : | D:\MediaDatabase |
| <i>Retention time</i> : | 8 hours |
| <i>Maximum size</i> : | 550 GB |
| <i>Signing</i> : | No |
| <i>Encryption</i> : | None |

| | | |
|----------------------------|--|--|
| Archive 1 | | |
| <i>Name</i> : | Archive 1 | |
| <i>Path</i> : | E:\ | |
| <i>Retention time</i> : | 30 days | |
| <i>Maximum size</i> : | 18.6 TB | |
| <i>Schedule</i> : | Occurs every day every 4 hour(s) between 00:00 and 23:59 | |
| <i>Reduce frame rate</i> : | Disabled | |

Failover

| | |
|--|-------|
| <i>Primary failover group</i> : | FO1 |
| <i>Secondary failover group</i> : | - |
| <i>Failover service communication port (TCP)</i> : | 11000 |

Multicast

| | |
|---------------------------------|-----------|
| <i>IP address range start</i> : | 232.0.1.1 |
| <i>IP address range end</i> : | 232.0.1.1 |
| <i>Port range start</i> : | 6000 |
| <i>Port range end</i> : | 7000 |
| <i>Source IP address</i> : | 0.0.0.0 |
| <i>MTU</i> : | 1500 |
| <i>TTL</i> : | 32 |

Network

Public access not enabled.

Hardware

Avigilon 1.0C-H4IRPTZ-DP45-WP (10.20.7.155)

Info

| | |
|---------------|---|
| <i>Name</i> : | Avigilon 1.0C-H4IRPTZ-DP45-WP (10.20.7.155) |
|---------------|---|

| | |
|-------------------------------|-------------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | ONVIF Conformant Device |
| <i>Version:</i> | 3.20.0.64(26108) |
| <i>Serial number:</i> | 201901104776 |
| <i>Driver:</i> | ONVIF Conformant Device |
| <i>Address:</i> | http://10.20.7.155/ |
| <i>MAC address:</i> | 00:1F:92:02:35:88 |

Device list

| Name | Enabled |
|----------------------------|-------------------------------------|
| 10.20.7.155 - ASC Demo | <input checked="" type="checkbox"/> |
| 10.20.7.155 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.155 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.155 - Input 1 | <input type="checkbox"/> |
| 10.20.7.155 - Input 2 | <input type="checkbox"/> |
| 10.20.7.155 - Input 3 | <input type="checkbox"/> |
| 10.20.7.155 - Input 4 | <input type="checkbox"/> |
| 10.20.7.155 - Input 5 | <input type="checkbox"/> |
| 10.20.7.155 - Output 1 | <input type="checkbox"/> |
| 10.20.7.155 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|-------------------------------|
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | Avigilon 1.0C-H4IRPTZ-DP45-WP |

PTZ

| | | |
|------------------------|--------------------|----|
| 10.20.7.155 - ASC Demo | <i>Enable PTZ:</i> | No |
|------------------------|--------------------|----|

AXIS F44 Dual Audio Input Network Camera (10.20.7.7)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.7) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8E93D97B |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.7/ |
| <i>MAC address:</i> | AC:CC:8E:93:D9:7B |

Device list

| Name | Enabled |
|------------------------------|-------------------------------------|
| 10.20.7.7 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.7 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.7 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.7 - Testing Center 1 | <input checked="" type="checkbox"/> |
| 10.20.7.7 - Testing Center 2 | <input checked="" type="checkbox"/> |
| 10.20.7.7 - Microphone 1 | <input checked="" type="checkbox"/> |
| 10.20.7.7 - Microphone 2 | <input checked="" type="checkbox"/> |
| 10.20.7.7 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.7 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.7 - Input 1 | <input type="checkbox"/> |
| 10.20.7.7 - Input 2 | <input type="checkbox"/> |
| 10.20.7.7 - Output 1 | <input type="checkbox"/> |
| 10.20.7.7 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|------------------------------|--------------------|----|
| 10.20.7.7 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.7 - Testing Center 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.7 - Testing Center 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.7 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.12)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.12) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8E93D9C0 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.12/ |
| <i>MAC address:</i> | AC:CC:8E:93:D9:C0 |

Device list

| Name | Enabled |
|-------------------------------|-------------------------------------|
| 10.20.7.12 - Testing Center 3 | <input checked="" type="checkbox"/> |
| 10.20.7.12 - Testing Center 4 | <input checked="" type="checkbox"/> |
| 10.20.7.12 - Testing Center 5 | <input checked="" type="checkbox"/> |
| 10.20.7.12 - Testing Center 6 | <input checked="" type="checkbox"/> |
| 10.20.7.12 Camera 5 | <input type="checkbox"/> |
| 10.20.7.12 - Microphone 1 | <input checked="" type="checkbox"/> |
| 10.20.7.12 - Microphone 2 | <input checked="" type="checkbox"/> |
| 10.20.7.12 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.12 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.12 - Input 1 | <input type="checkbox"/> |
| 10.20.7.12 - Input 2 | <input type="checkbox"/> |
| 10.20.7.12 - Output 1 | <input type="checkbox"/> |
| 10.20.7.12 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-------------------------------|--------------------|----|
| 10.20.7.12 - Testing Center 5 | | |
| | <i>Enable PTZ:</i> | No |
| 10.20.7.12 - Testing Center 3 | | |
| | <i>Enable PTZ:</i> | No |
| 10.20.7.12 - Testing Center 4 | | |
| | <i>Enable PTZ:</i> | No |
| 10.20.7.12 - Testing Center 6 | | |
| | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.27)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.27) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |

| | |
|-----------------------|-----------------------|
| <i>Serial number:</i> | ACCC8E93D993 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.27/ |
| <i>MAC address:</i> | AC:CC:8E:93:D9:93 |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.27 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.27 - Tandy 125 Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.27 - Tandy 125 Entrance #2 | <input checked="" type="checkbox"/> |
| 10.20.7.27 - Tandy Business Services Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.27 - Tandy IT entrance | <input checked="" type="checkbox"/> |
| 10.20.7.27 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.27 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.27 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.27 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.27 - Input 1 | <input type="checkbox"/> |
| 10.20.7.27 - Input 2 | <input type="checkbox"/> |
| 10.20.7.27 - Output 1 | <input type="checkbox"/> |
| 10.20.7.27 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.27 - Tandy IT entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.27 - Tandy 125 Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.27 - Tandy Business Services Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.27 - Tandy 125 Entrance #2 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.28)

Info

| | |
|------------------------|---|
| Name: | AXIS F44 Dual Audio Input Network Camera (10.20.7.28) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.50.1.3 |
| Serial number: | ACCC8E93D97D |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.28/ |
| MAC address: | AC:CC:8E:93:D9:7D |

Device list

| Name | Enabled |
|------------------------------------|-------------------------------------|
| 10.20.7.28 - Camera 1 | <input type="checkbox"/> |
| 10.20.7.28 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.28 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.28 - Tandy Admin Hallway 1 | <input checked="" type="checkbox"/> |
| 10.20.7.28 - Tandy Admin Hallway 2 | <input checked="" type="checkbox"/> |
| 10.20.7.28 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.28 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.28 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.28 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.28 - Input 1 | <input type="checkbox"/> |
| 10.20.7.28 - Input 2 | <input type="checkbox"/> |
| 10.20.7.28 - Output 1 | <input type="checkbox"/> |
| 10.20.7.28 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS F44 Dual Audio Input Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|------------------------------------|-------------|----|
| 10.20.7.28 - Tandy Admin Hallway 2 | Enable PTZ: | No |
| 10.20.7.28 - Tandy Admin Hallway 1 | Enable PTZ: | No |
| 10.20.7.28 - Camera 1 | Enable PTZ: | No |

10.20.7.28 - Camera 2

Enable PTZ: No

AXIS F44 Dual Audio Input Network Camera (10.20.7.43)

Info

Name: AXIS F44 Dual Audio Input Network Camera (10.20.7.43)
Description:
Recording server name: ASC-RS1.ad.tsc.edu
Model: Axis 4 channel device
Version: 6.50.1.3
Serial number: ACCC8EA29ECA
Driver: AXIS 4 channel device
Address: http://10.20.7.43/
MAC address: AC:CC:8E:A2:9E:CA

Device list

| Name | Enabled |
|---------------------------|-------------------------------------|
| 10.20.7.43 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.43 - REK Annex 1 | <input checked="" type="checkbox"/> |
| 10.20.7.43 - REK Annex 2 | <input checked="" type="checkbox"/> |
| 10.20.7.43 - REK Annex 3 | <input checked="" type="checkbox"/> |
| 10.20.7.43 - REK Annex 4 | <input checked="" type="checkbox"/> |
| 10.20.7.43 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.43 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.43 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.43 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.43 - Input 1 | <input type="checkbox"/> |
| 10.20.7.43 - Input 2 | <input type="checkbox"/> |
| 10.20.7.43 - Output 1 | <input type="checkbox"/> |
| 10.20.7.43 - Output 2 | <input type="checkbox"/> |

Settings

Authentication type: Automatic
Bandwidth: Unlimited
HTTPS Enabled: No
HTTPS Port: 443
Model name: AXIS F44 Dual Audio Input Network Camera
Multicast end port: 50999
Multicast start port: 50000
Zipstream supported: Yes

PTZ

10.20.7.43 - REK Annex 4
Enable PTZ: No

10.20.7.43 - REK Annex 1
Enable PTZ: No

| | | |
|--------------------------|--------------------|----|
| 10.20.7.43 - REK Annex 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.43 - REK Annex 2 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.44)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.44) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA2B908 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.44/ |
| <i>MAC address:</i> | AC:CC:8E:A2:B9:08 |

Device list

| Name | Enabled |
|---------------------------|-------------------------------------|
| 10.20.7.44 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.44 - REK 1 | <input checked="" type="checkbox"/> |
| 10.20.7.44 - REK 2 | <input checked="" type="checkbox"/> |
| 10.20.7.44 - REK 3 | <input checked="" type="checkbox"/> |
| 10.20.7.44 - REK 4 | <input checked="" type="checkbox"/> |
| 10.20.7.44 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.44 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.44 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.44 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.44 - Input 1 | <input type="checkbox"/> |
| 10.20.7.44 - Input 2 | <input type="checkbox"/> |
| 10.20.7.44 - Output 1 | <input type="checkbox"/> |
| 10.20.7.44 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------|--------------------|----|
| 10.20.7.44 - REK 2 | <i>Enable PTZ:</i> | No |
|--------------------|--------------------|----|

| | | |
|--------------------|--------------------|----|
| 10.20.7.44 - REK 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.44 - REK 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.44 - REK 4 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.54)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.54) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA2B883 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.54/ |
| <i>MAC address:</i> | AC:CC:8E:A2:B8:83 |

Device list

| Name | Enabled |
|---------------------------|-------------------------------------|
| 10.20.7.54 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.54 - REK 5 | <input checked="" type="checkbox"/> |
| 10.20.7.54 - REK 6 | <input checked="" type="checkbox"/> |
| 10.20.7.54 - REK 7 | <input checked="" type="checkbox"/> |
| 10.20.7.54 - REK 8 | <input checked="" type="checkbox"/> |
| 10.20.7.54 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.54 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.54 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.54 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.54 - Input 1 | <input type="checkbox"/> |
| 10.20.7.54 - Input 2 | <input type="checkbox"/> |
| 10.20.7.54 - Output 1 | <input type="checkbox"/> |
| 10.20.7.54 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------|--------------------|----|
| 10.20.7.54 - REK 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.54 - REK 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.54 - REK 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.54 - REK 6 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.55)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.55) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA2A08F |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.55/ |
| <i>MAC address:</i> | AC:CC:8E:A2:A0:8F |

Device list

| Name | Enabled |
|---------------------------|-------------------------------------|
| 10.20.7.55 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.55 - REK 9 | <input checked="" type="checkbox"/> |
| 10.20.7.55 - REK 10 | <input checked="" type="checkbox"/> |
| 10.20.7.55 - REK 11 | <input checked="" type="checkbox"/> |
| 10.20.7.55 - REK 12 | <input checked="" type="checkbox"/> |
| 10.20.7.55 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.55 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.55 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.55 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.55 - Input 1 | <input type="checkbox"/> |
| 10.20.7.55 - Input 2 | <input type="checkbox"/> |
| 10.20.7.55 - Output 1 | <input type="checkbox"/> |
| 10.20.7.55 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |

| | |
|-----------------------------|-----|
| <i>Zipstream supported:</i> | Yes |
|-----------------------------|-----|

PTZ

| | | |
|---------------------|--------------------|----|
| 10.20.7.55 - REK 11 | <i>Enable PTZ:</i> | No |
| 10.20.7.55 - REK 12 | <i>Enable PTZ:</i> | No |
| 10.20.7.55 - REK 9 | <i>Enable PTZ:</i> | No |
| 10.20.7.55 - REK 10 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.90)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.90) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA4503C |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.90/ |
| <i>MAC address:</i> | AC:CC:8E:A4:50:3C |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.90 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.90 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.90 - South 1st Floor West View | <input checked="" type="checkbox"/> |
| 10.20.7.90 - South North Entrance | <input checked="" type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Camera 5 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Microphone 1 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Microphone 2 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Speaker 1 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Metadata 1 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Input 1 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Input 2 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Output 1 | <input type="checkbox"/> |
| AXIS F44 Dual Audio Input Network Camera (10.20.7.90) - Output 2 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS F44 Dual Audio Input Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|--|-------------|----|
| 10.20.7.90 - Camera 3 | Enable PTZ: | No |
| 10.20.7.90 - South 1st Floor West View | Enable PTZ: | No |
| 10.20.7.90 - South North Entrance | Enable PTZ: | No |
| 10.20.7.90 - Camera 4 | Enable PTZ: | No |

AXIS FA54 Main Unit (10.20.7.20)

Info

| | |
|------------------------|----------------------------------|
| Name: | AXIS FA54 Main Unit (10.20.7.20) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.55.4.2 |
| Serial number: | ACCC8E897FE5 |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.20/ |
| MAC address: | AC:CC:8E:89:7F:E5 |

Device list

| Name | Enabled |
|-----------------------------|-------------------------------------|
| 10.20.7.20 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.20 - Tandy Cashiers | <input checked="" type="checkbox"/> |
| 10.20.7.20 - Tandy Cashiers | <input checked="" type="checkbox"/> |
| 10.20.7.20 - Tandy Cashiers | <input checked="" type="checkbox"/> |
| 10.20.7.20 - Tandy Cashiers | <input checked="" type="checkbox"/> |
| 10.20.7.20 - Microphone 1 | <input checked="" type="checkbox"/> |
| 10.20.7.20 - Microphone 2 | <input checked="" type="checkbox"/> |
| 10.20.7.20 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.20 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.20 - Input 1 | <input type="checkbox"/> |
| 10.20.7.20 - Input 2 | <input type="checkbox"/> |

| | |
|-----------------------|--------------------------|
| 10.20.7.20 - Output 1 | <input type="checkbox"/> |
| 10.20.7.20 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|---------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS FA54 Main Unit |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------|--------------------|----|
| 10.20.7.20 - Tandy Cashiers | <i>Enable PTZ:</i> | No |
| 10.20.7.20 - Tandy Cashiers | <i>Enable PTZ:</i> | No |
| 10.20.7.20 - Tandy Cashiers | <i>Enable PTZ:</i> | No |
| 10.20.7.20 - Tandy Cashiers | <i>Enable PTZ:</i> | No |

AXIS M3047-P Network Camera (10.20.7.48)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS M3047-P Network Camera (10.20.7.48) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 12 channel device |
| <i>Version:</i> | 7.15.2.1 |
| <i>Serial number:</i> | ACCC8E86085C |
| <i>Driver:</i> | AXIS 12 channel device |
| <i>Address:</i> | http://10.20.7.48/ |
| <i>MAC address:</i> | AC:CC:8E:86:08:5C |

Device list

| Name | Enabled |
|------------------------|--------------------------|
| 10.20.7.48 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 9 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 10 | <input type="checkbox"/> |

| | |
|-------------------------|-------------------------------------|
| 10.20.7.48 - Camera 11 | <input type="checkbox"/> |
| 10.20.7.48 - Camera 12 | <input type="checkbox"/> |
| 10.20.7.48 - REK Lobby | <input checked="" type="checkbox"/> |
| 10.20.7.48 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|-----------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS M3047-P Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|------------------------|-----------------------|----------|
| 10.20.7.48 - REK Lobby | <i>Enable PTZ:</i> | Yes |
| | <i>PTZ device ID:</i> | 1 |
| | <i>COM port:</i> | COM 1 |
| | <i>PTZ protocol:</i> | Absolute |
| 10.20.7.48 - Camera 10 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 9 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 11 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 12 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.48 - Camera 2 | <i>Enable PTZ:</i> | No |

Enable PTZ:

No

AXIS M3047-P Network Camera (10.20.7.49)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS M3047-P Network Camera (10.20.7.49) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 12 channel device |
| <i>Version:</i> | 7.15.2.1 |
| <i>Serial number:</i> | ACCC8E8605CD |
| <i>Driver:</i> | AXIS 12 channel device |
| <i>Address:</i> | http://10.20.7.49/ |
| <i>MAC address:</i> | AC:CC:8E:86:05:CD |

Device list

| Name | Enabled |
|----------------------------|-------------------------------------|
| 10.20.7.49 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 9 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 10 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 11 | <input type="checkbox"/> |
| 10.20.7.49 - Camera 12 | <input type="checkbox"/> |
| 10.20.7.49 - REK Weight RM | <input checked="" type="checkbox"/> |
| 10.20.7.49 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|-----------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS M3047-P Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------|-----------------------|----------|
| 10.20.7.49 - Camera 12 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - REK Weight RM | <i>Enable PTZ:</i> | Yes |
| | <i>PTZ device ID:</i> | 1 |
| | <i>COM port:</i> | COM 1 |
| | <i>PTZ protocol:</i> | Absolute |
| 10.20.7.49 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 11 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 9 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 10 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.49 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS P1405-LE Mk II Network Camera (10.20.7.41)**Info**

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P1405-LE Mk II Network Camera (10.20.7.41) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.35.2.2 |
| <i>Serial number:</i> | ACCC8E842A69 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.41/ |
| <i>MAC address:</i> | AC:CC:8E:84:2A:69 |

Device list

| Name | Enabled |
|-----------------------|--------------------------|
| 10.20.7.41 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.41 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.41 - Camera 4 | <input type="checkbox"/> |

| | |
|------------------------------|-------------------------------------|
| 10.20.7.41 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.41 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.41 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.41 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.41 - REK/Admin Foyer | <input checked="" type="checkbox"/> |
| 10.20.7.41 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P1405-LE Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|------------------------------|--------------------|----|
| 10.20.7.41 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - REK/Admin Foyer | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.41 - Camera 5 | <i>Enable PTZ:</i> | No |

AXIS P1405-LE Mk II Network Camera (10.20.7.42)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P1405-LE Mk II Network Camera (10.20.7.42) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |

| | |
|-----------------------|-----------------------|
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.35.2.2 |
| <i>Serial number:</i> | ACCC8E842AA4 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.42/ |
| <i>MAC address:</i> | AC:CC:8E:84:2A:A4 |

Device list

| Name | Enabled |
|-----------------------------|-------------------------------------|
| 10.20.7.42 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.42 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.42 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.42 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.42 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.42 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.42 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.42 - REK Lobby Area | <input checked="" type="checkbox"/> |
| 10.20.7.42 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P1405-LE Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------|--------------------|----|
| 10.20.7.42 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.42 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.42 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.42 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.42 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.42 - REK Lobby Area | | |

| | | |
|-----------------------|-------------|----|
| 10.20.7.42 - Camera 8 | Enable PTZ: | No |
| 10.20.7.42 - Camera 4 | Enable PTZ: | No |
| | Enable PTZ: | No |

AXIS P1405-LE Mk II Network Camera (10.20.7.45)

Info

| | |
|------------------------|---|
| Name: | AXIS P1405-LE Mk II Network Camera (10.20.7.45) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.35.2.2 |
| Serial number: | ACCC8E842DC7 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.45/ |
| MAC address: | AC:CC:8E:84:2D:C7 |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.45 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.45 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.45 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.45 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.45 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.45 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.45 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.45 - REK Ringgold Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.45 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P1405-LE Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.45 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - REK Ringgold Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.45 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS P1405-LE Mk II Network Camera (10.20.7.50)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P1405-LE Mk II Network Camera (10.20.7.50) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.35.2.2 |
| <i>Serial number:</i> | ACCC8E842A81 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.50/ |
| <i>MAC address:</i> | AC:CC:8E:AB:59:0C |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.50 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.50 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.50 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.50 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.50 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.50 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.50 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.50 - REK Ringgold Hallway Facing Parking Lot | <input checked="" type="checkbox"/> |
| 10.20.7.50 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |

| | |
|-----------------------|------------------------------------|
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P1405-LE Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|---|-------------|----|
| 10.20.7.50 - Camera 7 | Enable PTZ: | No |
| 10.20.7.50 - Camera 6 | Enable PTZ: | No |
| 10.20.7.50 - Camera 3 | Enable PTZ: | No |
| 10.20.7.50 - Camera 5 | Enable PTZ: | No |
| 10.20.7.50 - Camera 8 | Enable PTZ: | No |
| 10.20.7.50 - REK Ringgold Hallway Facing Parking Lot | Enable PTZ: | No |
| 10.20.7.50 - Camera 2 | Enable PTZ: | No |
| 10.20.7.50 - Camera 4 | Enable PTZ: | No |

AXIS P1405-LE Mk II Network Camera (10.20.7.51)

Info

| | |
|------------------------|---|
| Name: | AXIS P1405-LE Mk II Network Camera (10.20.7.51) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.35.2.2 |
| Serial number: | ACCC8E842A68 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.51/ |
| MAC address: | AC:CC:8E:84:2A:68 |

Device list

| Name | Enabled |
|-----------------------|--------------------------|
| 10.20.7.51 - Camera 2 | <input type="checkbox"/> |

| | |
|--------------------------------------|-------------------------------------|
| 10.20.7.51 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.51 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.51 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.51 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.51 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.51 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.51 - REK Back Mech Room Door | <input checked="" type="checkbox"/> |
| 10.20.7.51 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P1405-LE Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------------------------|--------------------|----|
| 10.20.7.51 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - REK Back Mech Room Door | <i>Enable PTZ:</i> | No |
| 10.20.7.51 - Camera 7 | <i>Enable PTZ:</i> | No |

AXIS P1405-LE Mk II Network Camera (10.20.7.56)

Info

| | |
|--------------|---|
| <i>Name:</i> | AXIS P1405-LE Mk II Network Camera (10.20.7.56) |
|--------------|---|

| | |
|-------------------------------|-----------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.35.2.2 |
| <i>Serial number:</i> | ACCC8E842A75 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.56/ |
| <i>MAC address:</i> | AC:CC:8E:84:2A:75 |

Device list

| Name | Enabled |
|----------------------------|-------------------------------------|
| 10.20.7.56 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.56 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.56 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.56 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.56 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.56 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.56 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.56 - REK Pool Area | <input checked="" type="checkbox"/> |
| 10.20.7.56 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P1405-LE Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------|--------------------|----|
| 10.20.7.56 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.56 - REK Pool Area | <i>Enable PTZ:</i> | No |
| 10.20.7.56 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.56 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.56 - Camera 6 | <i>Enable PTZ:</i> | No |

| | | |
|-----------------------|--------------------|----|
| 10.20.7.56 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.56 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.56 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.5)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.5) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A567B |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.5/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:7B |

Device list

| Name | Enabled |
|----------------------------------|-------------------------------------|
| 10.20.7.5 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.5 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.5 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.5 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.5 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.5 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.5 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.5 - Tandy Main Hallway 1 | <input checked="" type="checkbox"/> |
| 10.20.7.5 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------------|--------------------|----|
| 10.20.7.5 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Tandy Main Hallway 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.5 - Camera 7 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.6)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.6) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A56A2 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.6/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:A2 |

Device list

| Name | Enabled |
|--------------------------------------|-------------------------------------|
| 10.20.7.6 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.6 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.6 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.6 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.6 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.6 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.6 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.6 - Tandy McDonalds Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.6 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |

| | |
|------------------------------|------------------------------------|
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.6 - Tandy McDonalds Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.6 - Camera 2 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.8)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.8) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A568E |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.8/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:8E |

Device list

| Name | Enabled |
|----------------------|--------------------------|
| 10.20.7.8 - Camera 2 | <input type="checkbox"/> |

| | |
|---|-------------------------------------|
| 10.20.7.8 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.8 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.8 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.8 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.8 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.8 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.8 - Tandy South Entrance Cashiers | <input checked="" type="checkbox"/> |
| 10.20.7.8 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.8 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Tandy South Entrance Cashiers | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.8 - Camera 2 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.10)

Info

| | |
|--------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.10) |
|--------------|---|

| | |
|-------------------------------|-----------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A56F5 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.10/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:F5 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.10 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.10 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.10 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.10 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.10 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.10 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.10 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.10 - Tandy Cashiers Customer Side | <input checked="" type="checkbox"/> |
| 10.20.7.10 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------|--------------------|----|
| 10.20.7.10 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.10 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.10 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.10 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.10 - Camera 3 | <i>Enable PTZ:</i> | No |

| | | |
|--|--------------------|----|
| 10.20.7.10 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.10 - Tandy Cashiers Customer Side | <i>Enable PTZ:</i> | No |
| 10.20.7.10 - Camera 6 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.13)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.13) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A56D8 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.13/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:D8 |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.13 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.13 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.13 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.13 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.13 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.13 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.13 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.13 - Tandy Vault Cashiers | <input checked="" type="checkbox"/> |
| 10.20.7.13 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.13 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.13 - Tandy Vault Cashiers | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.14)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.14) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A5669 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.14/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:69 |

Device list

| Name | Enabled |
|-------------------------------------|-------------------------------------|
| 10.20.7.14 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.14 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.14 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.14 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.14 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.14 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.14 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.14 - Tandy Cashiers Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.14 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |

| | |
|-----------------------|------------------------------------|
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|-------------------------------------|-------------|----|
| 10.20.7.14 - Camera 8 | Enable PTZ: | No |
| 10.20.7.14 - Camera 6 | Enable PTZ: | No |
| 10.20.7.14 - Camera 4 | Enable PTZ: | No |
| 10.20.7.14 - Camera 5 | Enable PTZ: | No |
| 10.20.7.14 - Camera 7 | Enable PTZ: | No |
| 10.20.7.14 - Tandy Cashiers Hallway | Enable PTZ: | No |
| 10.20.7.14 - Camera 3 | Enable PTZ: | No |
| 10.20.7.14 - Camera 2 | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.18)

Info

| | |
|------------------------|---|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.7.18) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8E9A5673 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.18/ |
| MAC address: | AC:CC:8E:9A:56:73 |

Device list

| Name | Enabled |
|-----------------------|--------------------------|
| 10.20.7.18 - Camera 2 | <input type="checkbox"/> |

| | |
|---------------------------------------|-------------------------------------|
| 10.20.7.18 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.18 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.18 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.18 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.18 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.18 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.18 - Cashiers Processing Area | <input checked="" type="checkbox"/> |
| 10.20.7.18 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------------------|--------------------|----|
| 10.20.7.18 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Cashiers Processing Area | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.18 - Camera 6 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.19)

Info

| | |
|--------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.19) |
|--------------|---|

| | |
|-------------------------------|-----------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A56DF |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.19/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:DF |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.19 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.19 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.19 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.19 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.19 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.19 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.19 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.19 - Tandy HR Customer Serce Area | <input checked="" type="checkbox"/> |
| 10.20.7.19 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.19 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.19 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.19 - Tandy HR Customer Serce Area | <i>Enable PTZ:</i> | No |
| 10.20.7.19 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.19 - Camera 4 | <i>Enable PTZ:</i> | No |

| | | |
|-----------------------|-------------|----|
| 10.20.7.19 - Camera 6 | Enable PTZ: | No |
| 10.20.7.19 - Camera 8 | Enable PTZ: | No |
| 10.20.7.19 - Camera 5 | Enable PTZ: | No |
| | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.21)

Info

| | |
|------------------------|---|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.7.21) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8E9A49E8 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.21/ |
| MAC address: | AC:CC:8E:9A:49:E8 |

Device list

| Name | Enabled |
|--------------------------------|-------------------------------------|
| 10.20.7.21 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.21 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.21 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.21 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.21 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.21 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.21 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.21 - Tandy HR Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.21 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|--------------------------------|--------------------|----|
| 10.20.7.21 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Tandy HR Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.21 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.22)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.22) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A567C |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.22/ |
| <i>MAC address:</i> | AC:CC:8E:9A:56:7C |

Device list

| Name | Enabled |
|----------------------------------|-------------------------------------|
| 10.20.7.22 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.22 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.22 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.22 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.22 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.22 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.22 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.22 - Tandy HR Break Area | <input checked="" type="checkbox"/> |
| 10.20.7.22 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |

| | |
|-----------------------|------------------------------------|
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|----------------------------------|-------------|----|
| 10.20.7.22 - Camera 5 | Enable PTZ: | No |
| 10.20.7.22 - Camera 8 | Enable PTZ: | No |
| 10.20.7.22 - Camera 7 | Enable PTZ: | No |
| 10.20.7.22 - Tandy HR Break Area | Enable PTZ: | No |
| 10.20.7.22 - Camera 4 | Enable PTZ: | No |
| 10.20.7.22 - Camera 2 | Enable PTZ: | No |
| 10.20.7.22 - Camera 3 | Enable PTZ: | No |
| 10.20.7.22 - Camera 6 | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.23)

Info

| | |
|------------------------|---|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.7.23) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8E9A56E1 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.23/ |
| MAC address: | AC:CC:8E:9A:56:E1 |

Device list

| Name | Enabled |
|-----------------------|--------------------------|
| 10.20.7.23 - Camera 2 | <input type="checkbox"/> |

| | |
|---|-------------------------------------|
| 10.20.7.23 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.23 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.23 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.23 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.23 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.23 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.23 - Cashiers Entrance (inside) | <input checked="" type="checkbox"/> |
| 10.20.7.23 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.23 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.23 - Cashiers Entrance (inside) | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.24)

Info

| | |
|--------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.24) |
|--------------|---|

| | |
|-------------------------------|-----------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A4C19 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.24/ |
| <i>MAC address:</i> | AC:CC:8E:9A:4C:19 |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.24 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.24 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.24 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.24 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.24 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.24 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.24 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.24 - Tandy Main Hallway South View | <input checked="" type="checkbox"/> |
| 10.20.7.24 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.24 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.24 - Tandy Main Hallway South View | <i>Enable PTZ:</i> | No |
| 10.20.7.24 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.24 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.24 - Camera 6 | <i>Enable PTZ:</i> | No |

| | | |
|-----------------------|-------------|----|
| 10.20.7.24 - Camera 5 | Enable PTZ: | No |
| 10.20.7.24 - Camera 7 | Enable PTZ: | No |
| 10.20.7.24 - Camera 4 | Enable PTZ: | No |
| | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.25)

Info

| | |
|------------------------|---|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.7.25) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8E9A49EE |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.25/ |
| MAC address: | AC:CC:8E:9A:49:EE |

Device list

| Name | Enabled |
|------------------------------|-------------------------------------|
| 10.20.7.25 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.25 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.25 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.25 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.25 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.25 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.25 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.25 - Tandy Server RM | <input checked="" type="checkbox"/> |
| 10.20.7.25 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|------------------------------|--------------------|----|
| 10.20.7.25 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Tandy Server RM | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.25 - Camera 3 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.26)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.26) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A49F1 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.26/ |
| <i>MAC address:</i> | AC:CC:8E:9A:49:F1 |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.26 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.26 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.26 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.26 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.26 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.26 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.26 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.26 - Tandy Server RM Exit | <input checked="" type="checkbox"/> |
| 10.20.7.26 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |

| | |
|-----------------------|------------------------------------|
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|--------------------------------------|-------------|----|
| 10.20.7.26 - Camera 4 | Enable PTZ: | No |
| 10.20.7.26 - Camera 2 | Enable PTZ: | No |
| 10.20.7.26 - Camera 8 | Enable PTZ: | No |
| 10.20.7.26 - Camera 3 | Enable PTZ: | No |
| 10.20.7.26 - Camera 5 | Enable PTZ: | No |
| 10.20.7.26 - Camera 6 | Enable PTZ: | No |
| 10.20.7.26 - Tandy Server RM Exit | Enable PTZ: | No |
| 10.20.7.26 - Camera 7 | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.57)

Info

| | |
|------------------------|---|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.7.57) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8E9A49CE |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.57/ |
| MAC address: | AC:CC:8E:9A:49:CE |

Device list

| Name | Enabled |
|-----------------------|--------------------------|
| 10.20.7.57 - Camera 2 | <input type="checkbox"/> |

| | |
|--|-------------------------------------|
| 10.20.7.57 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.57 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.57 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.57 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.57 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.57 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.57 - REK Center Raquetball Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.57 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.57 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - REK Center Raquetball Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.57 - Camera 7 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.77)

Info

| | |
|--------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.77) |
|--------------|---|

| | |
|-------------------------------|-----------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A49E5 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.77/ |
| <i>MAC address:</i> | AC:CC:8E:9A:49:E5 |

Device list

| Name | Enabled |
|------------------------------------|-------------------------------------|
| 10.20.7.77 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.77 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.77 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.77 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.77 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.77 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.77 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.77 - Lightner Center Lobby | <input checked="" type="checkbox"/> |
| 10.20.7.77 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------|--------------------|----|
| 10.20.7.77 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.77 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.77 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.77 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.77 - Camera 6 | <i>Enable PTZ:</i> | No |

| | | |
|------------------------------------|--------------------|----|
| 10.20.7.77 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.77 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.77 - Lightner Center Lobby | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.78)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.78) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A49D5 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.78/ |
| <i>MAC address:</i> | AC:CC:8E:9A:4C:21 |

Device list

| Name | Enabled |
|--------------------------------------|-------------------------------------|
| 10.20.7.78 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.78 - Lightner Center Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.78 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------------------------|--------------------|----|
| 10.20.7.78 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Lightner Center Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.78 - Camera 6 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.79)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.79) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8E9A49D5 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.79/ |
| <i>MAC address:</i> | AC:CC:8E:9A:49:D5 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.78 - Camera 2 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.78 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.79 - Lightner Center exit disabilities side | <input checked="" type="checkbox"/> |
| 10.20.7.78 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |

| | |
|-----------------------|------------------------------------|
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|--|-------------|----|
| 10.20.7.78 - Camera 3 | Enable PTZ: | No |
| 10.20.7.78 - Camera 6 | Enable PTZ: | No |
| 10.20.7.78 - Camera 8 | Enable PTZ: | No |
| 10.20.7.78 - Camera 5 | Enable PTZ: | No |
| 10.20.7.78 - Camera 7 | Enable PTZ: | No |
| 10.20.7.78 - Camera 2 | Enable PTZ: | No |
| 10.20.7.78 - Camera 4 | Enable PTZ: | No |
| 10.20.7.79 - Lightntner Center exit disabilities side | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.151)

Info

| | |
|------------------------|--|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.7.151) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8EA2DAC6 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.7.151/ |
| MAC address: | AC:CC:8E:A2:DA:C6 |

Device list

| Name | Enabled |
|------------------------|--------------------------|
| 10.20.7.151 - Camera 2 | <input type="checkbox"/> |

| | |
|--------------------------------------|-------------------------------------|
| 10.20.7.151 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.151 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.151 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.151 - Camera 6 | <input type="checkbox"/> |
| 10.20.7.151 - Camera 7 | <input type="checkbox"/> |
| 10.20.7.151 - Camera 8 | <input type="checkbox"/> |
| 10.20.7.151 - Childcare Unit 2 Lobby | <input checked="" type="checkbox"/> |
| 10.20.7.151 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------------------------|--------------------|----|
| 10.20.7.151 - Childcare Unit 2 Lobby | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.151 - Camera 6 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.7.152)

Info

| | |
|--------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.7.152) |
|--------------|--|

| | |
|-------------------------------|-----------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8EA2DA04 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.7.152/ |
| <i>MAC address:</i> | AC:CC:8E:A2:DA:04 |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.152 - Childcare Unit 2 Main Entrance | <input checked="" type="checkbox"/> |
| Camera 2 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Camera 3 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Camera 4 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Camera 5 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Camera 6 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Camera 7 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Camera 8 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |
| Metadata 1 on AXIS P3225-LV Mk II Network Camera | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| Camera 8 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |
| Camera 2 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |
| 10.20.7.152 - Childcare Unit 2 Main Entrance | <i>Enable PTZ:</i> | No |

| | | |
|--|--------------------|----|
| Camera 4 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |
| Camera 3 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |
| Camera 7 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |
| Camera 6 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |
| Camera 5 on AXIS P3225-LV Mk II Network Camera | <i>Enable PTZ:</i> | No |

AXIS P3707-PE Network Camera (10.20.7.15)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3707-PE Network Camera (10.20.7.15) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E8F9DCC |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.15/ |
| <i>MAC address:</i> | AC:CC:8E:8F:9D:CC |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.15 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.15 - Tandy International Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.15 - Tandy Main Hall | <input checked="" type="checkbox"/> |
| 10.20.7.15 - Tandy May Street Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.15 - Tandy Security Office Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.15 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3707-PE Network Camera |
| <i>Multicast end port:</i> | 50999 |

| | |
|------------------------------|-------|
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.15 - Tandy May Street Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.15 - Tandy Main Hall | <i>Enable PTZ:</i> | No |
| 10.20.7.15 - Tandy International Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.15 - Tandy Security Office Entrance | <i>Enable PTZ:</i> | No |

AXIS P3707-PE Network Camera (10.20.7.60)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3707-PE Network Camera (10.20.7.60) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8EA124CF |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.60/ |
| <i>MAC address:</i> | AC:CC:8E:A1:24:CF |

Device list

| Name | Enabled |
|-------------------------------------|-------------------------------------|
| 10.20.7.60 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.60 - REK Center 1 2nd Floor | <input checked="" type="checkbox"/> |
| 10.20.7.60 - REK Center 2 2nd Floor | <input checked="" type="checkbox"/> |
| 10.20.7.60 - REK Center 3 2nd Floor | <input checked="" type="checkbox"/> |
| 10.20.7.60 - REK Center 4 2nd Floor | <input checked="" type="checkbox"/> |
| 10.20.7.60 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3707-PE Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|-------------|----|
| 10.20.7.60 - REK Center 3 2nd Floor | Enable PTZ: | No |
| 10.20.7.60 - REK Center 1 2nd Floor | Enable PTZ: | No |
| 10.20.7.60 - REK Center 4 2nd Floor | Enable PTZ: | No |
| 10.20.7.60 - REK Center 2 2nd Floor | Enable PTZ: | No |

AXIS P3717-PLE Network Camera (10.20.7.106)

Info

| | |
|------------------------|---|
| Name: | AXIS P3717-PLE Network Camera (10.20.7.106) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 8.35.1 |
| Serial number: | ACCC8ED4AE11 |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.106/ |
| MAC address: | AC:CC:8E:D4:AE:11 |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.106 - PAC Lower Level | <input checked="" type="checkbox"/> |
| 10.20.7.106 - PAC Lower Level Access | <input checked="" type="checkbox"/> |
| 10.20.7.106 - PAC Lower Level Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.106 - PAC Lower Level Overview | <input checked="" type="checkbox"/> |
| 10.20.7.106 - PAC Lower Level Stairs | <input checked="" type="checkbox"/> |
| 10.20.7.106 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|-------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3717-PLE Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.106 - PAC Lower Level Access | <i>Enable PTZ:</i> | No |
| 10.20.7.106 - PAC Lower Level Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.106 - PAC Lower Level Stairs | <i>Enable PTZ:</i> | No |
| 10.20.7.106 - PAC Lower Level | <i>Enable PTZ:</i> | No |

AXIS P3717-PLE Network Camera (10.20.7.107)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3717-PLE Network Camera (10.20.7.107) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 8.35.1 |
| <i>Serial number:</i> | ACCC8ED4D9E2 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.107/ |
| <i>MAC address:</i> | AC:CC:8E:D4:D9:E2 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.107 - PAC Upper Deck 1 | <input checked="" type="checkbox"/> |
| 10.20.7.107 - PAC Upper Deck 3 | <input checked="" type="checkbox"/> |
| 10.20.7.107 - PAC Upper Deck 4 | <input checked="" type="checkbox"/> |
| 10.20.7.107 - PAC Upper Deck 4 | <input checked="" type="checkbox"/> |
| 10.20.7.107 - PAC Upper Deck Overview 1 | <input checked="" type="checkbox"/> |
| 10.20.7.107 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|-------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3717-PLE Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| |
|--------------------------------|
| 10.20.7.107 - PAC Upper Deck 4 |
|--------------------------------|

| | | |
|--------------------------------|-------------|----|
| 10.20.7.107 - PAC Upper Deck 3 | Enable PTZ: | No |
| 10.20.7.107 - PAC Upper Deck 1 | Enable PTZ: | No |
| 10.20.7.107 - PAC Upper Deck 4 | Enable PTZ: | No |

AXIS P3717-PLE Network Camera (10.20.7.108)

Info

| | |
|------------------------|---|
| Name: | AXIS P3717-PLE Network Camera (10.20.7.108) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 8.35.1 |
| Serial number: | ACCC8ED4AF0B |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.108/ |
| MAC address: | AC:CC:8E:D4:AF:0B |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.108 - PAC Upper Deck 5 | <input checked="" type="checkbox"/> |
| 10.20.7.108 - PAC Upper Deck 6 | <input checked="" type="checkbox"/> |
| 10.20.7.108 - PAC Upper Deck 8 | <input checked="" type="checkbox"/> |
| 10.20.7.108 - PAC Upper Deck 8 | <input checked="" type="checkbox"/> |
| 10.20.7.108 - PAC Upper Deck Overview 2 | <input checked="" type="checkbox"/> |
| 10.20.7.108 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|-------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3717-PLE Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|--------------------------------|-------------|----|
| 10.20.7.108 - PAC Upper Deck 8 | Enable PTZ: | No |
|--------------------------------|-------------|----|

| | | |
|--------------------------------|--------------------|----|
| 10.20.7.108 - PAC Upper Deck 8 | <i>Enable PTZ:</i> | No |
| 10.20.7.108 - PAC Upper Deck 5 | <i>Enable PTZ:</i> | No |
| 10.20.7.108 - PAC Upper Deck 6 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.31)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.31) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E961451 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.31/ |
| <i>MAC address:</i> | AC:CC:8E:96:14:51 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.31 - Tandy Parking Lot 1 | <input checked="" type="checkbox"/> |
| 10.20.7.31 - Tandy Parking Lot 2 | <input checked="" type="checkbox"/> |
| 10.20.7.31 - Tandy Parking Lot 3 | <input checked="" type="checkbox"/> |
| 10.20.7.31 - Tandy Parking Lot 4 | <input checked="" type="checkbox"/> |
| 10.20.7.31 - Tandy Parking Lot Overview | <input checked="" type="checkbox"/> |
| 10.20.7.31 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------------|--------------------|----|
| 10.20.7.31 - Tandy Parking Lot 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.31 - Tandy Parking Lot 1 | | |

| | | |
|----------------------------------|-------------|----|
| 10.20.7.31 - Tandy Parking Lot 3 | Enable PTZ: | No |
| 10.20.7.31 - Tandy Parking Lot 4 | Enable PTZ: | No |
| | Enable PTZ: | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.40)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.40) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.40.1 |
| Serial number: | ACCC8E9613F8 |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.40/ |
| MAC address: | AC:CC:8E:96:13:F8 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.40 - REK University Blvd 1 | <input checked="" type="checkbox"/> |
| 10.20.7.40 - REK University Blvd 2 | <input checked="" type="checkbox"/> |
| 10.20.7.40 - REK University Blvd 3 | <input checked="" type="checkbox"/> |
| 10.20.7.40 - REK University Blvd 4 | <input checked="" type="checkbox"/> |
| 10.20.7.40 - REK University Blvd Overview | <input checked="" type="checkbox"/> |
| 10.20.7.40 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|------------------------------------|-------------|----|
| 10.20.7.40 - REK University Blvd 2 | Enable PTZ: | No |
| 10.20.7.40 - REK University Blvd 1 | Enable PTZ: | No |

| | | |
|---------------------------------------|--------------------|----|
| 10.20.7.40 - REK University Blvd 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.40 - REK University Blvd 4 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.47)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.47) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E96133C |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.47/ |
| <i>MAC address:</i> | AC:CC:8E:96:13:3C |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.47 - REK Center Swiming Pool 1 | <input checked="" type="checkbox"/> |
| 10.20.7.47 - REK Center Swiming Pool 2 | <input checked="" type="checkbox"/> |
| 10.20.7.47 - REK Center Swiming Pool 3 | <input checked="" type="checkbox"/> |
| 10.20.7.47 - REK Center Swiming Pool 4 | <input checked="" type="checkbox"/> |
| 10.20.7.47 - REK Center Swiming Pool Overview | <input checked="" type="checkbox"/> |
| 10.20.7.47 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.47 - REK Center Swiming Pool 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.47 - REK Center Swiming Pool 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.47 - REK Center Swiming Pool 2 | | |

| | | |
|--|--------------------|----|
| 10.20.7.47 - REK Center Swimming Pool 4 | <i>Enable PTZ:</i> | No |
| | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.53)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.53) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963429 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.53/ |
| <i>MAC address:</i> | AC:CC:8E:96:34:29 |

Device list

| Name | Enabled |
|---------------------------------------|-------------------------------------|
| 10.20.7.53 - REK Center Rear 1 | <input checked="" type="checkbox"/> |
| 10.20.7.53 - REK Center Rear 2 | <input checked="" type="checkbox"/> |
| 10.20.7.53 - REK Center Rear 3 | <input checked="" type="checkbox"/> |
| 10.20.7.53 - REK Center Rear 4 | <input checked="" type="checkbox"/> |
| 10.20.7.53 - REK Center Rear Overview | <input checked="" type="checkbox"/> |
| 10.20.7.53 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.53 - REK Center Rear 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.53 - REK Center Rear 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.53 - REK Center Rear 1 | <i>Enable PTZ:</i> | No |

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.53 - REK Center Rear 4 | <i>Enable PTZ:</i> | No |
|-----------------------------------|--------------------|----|

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.61)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.61) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E96130A |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.61/ |
| <i>MAC address:</i> | AC:CC:8E:96:13:0A |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.61 - REK Center Ringgold 1 | <input checked="" type="checkbox"/> |
| 10.20.7.61 - REK Center Ringgold 2 | <input checked="" type="checkbox"/> |
| 10.20.7.61 - REK Center Ringgold 3 | <input checked="" type="checkbox"/> |
| 10.20.7.61 - REK Center Ringgold 4 | <input checked="" type="checkbox"/> |
| 10.20.7.61 - REK Center Ringgold Overview | <input checked="" type="checkbox"/> |
| 10.20.7.61 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------------------|--------------------|----|
| 10.20.7.61 - REK Center Ringgold 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.61 - REK Center Ringgold 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.61 - REK Center Ringgold 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.61 - REK Center Ringgold 3 | | |

| | |
|--------------------|----|
| <i>Enable PTZ:</i> | No |
|--------------------|----|

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.12)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.12) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963B5F |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.8.12/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:5F |

Device list

| Name | Enabled |
|----------------------------|-------------------------------------|
| 10.20.8.12 - SETB 1 | <input checked="" type="checkbox"/> |
| 10.20.8.12 - SETB 2 | <input checked="" type="checkbox"/> |
| 10.20.8.12 - SETB 3 | <input checked="" type="checkbox"/> |
| 10.20.8.12 - SETB 4 | <input checked="" type="checkbox"/> |
| 10.20.8.12 - SETB Overview | <input checked="" type="checkbox"/> |
| 10.20.8.12 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------|--------------------|----|
| 10.20.8.12 - SETB 2 | <i>Enable PTZ:</i> | No |
| 10.20.8.12 - SETB 1 | <i>Enable PTZ:</i> | No |
| 10.20.8.12 - SETB 4 | <i>Enable PTZ:</i> | No |
| 10.20.8.12 - SETB 3 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.8)

Info

| | |
|------------------------|--|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.8) |
| Description: | |
| Recording server name: | ASC-RS1.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.40.1 |
| Serial number: | ACCC8E963B98 |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.9.8/ |
| MAC address: | AC:CC:8E:96:3B:98 |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.9.8 - ITECC Indoor 1 | <input checked="" type="checkbox"/> |
| 10.20.9.8 - ITECC Indoor 2 | <input checked="" type="checkbox"/> |
| 10.20.9.8 - ITECC Indoor 3 | <input checked="" type="checkbox"/> |
| 10.20.9.8 - ITECC Indoor 4 | <input checked="" type="checkbox"/> |
| 10.20.9.8 - ITECC Indoor Overview | <input checked="" type="checkbox"/> |
| 10.20.9.8 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|----------------------------|-------------|----|
| 10.20.9.8 - ITECC Indoor 3 | Enable PTZ: | No |
| 10.20.9.8 - ITECC Indoor 2 | Enable PTZ: | No |
| 10.20.9.8 - ITECC Indoor 4 | Enable PTZ: | No |
| 10.20.9.8 - ITECC Indoor 1 | Enable PTZ: | No |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.30)

Info

| | |
|--------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.30) |
| Description: | |

| | |
|-------------------------------|---------------------------|
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E862AD2 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.30/ |
| <i>MAC address:</i> | AC:CC:8E:86:2A:D2 |

Device list

| Name | Enabled |
|-------------------------|-------------------------------------|
| 10.20.7.30 - Tandy PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.30 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.46)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.46) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E862B37 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.46/ |
| <i>MAC address:</i> | AC:CC:8E:86:2B:37 |

Device list

| Name | Enabled |
|---------------------------------|-------------------------------------|
| 10.20.7.46 - REK University PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.46 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |

| | |
|------------------------------|--------------------------------------|
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.59)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.59) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E862AB9 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.59/ |
| <i>MAC address:</i> | AC:CC:8E:86:2A:B9 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.59 - REK Center Swimming Pool PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.59 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.62)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.62) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E862AAC |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.62/ |
| <i>MAC address:</i> | AC:CC:8E:86:2A:AC |

Device list

| Name | Enabled |
|--------------------------------------|-------------------------------------|
| 10.20.7.62 - REK Center Ringgold PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.62 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.63)**Info**

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.63) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E862AA9 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.63/ |
| <i>MAC address:</i> | AC:CC:8E:86:2A:A9 |

Device list

| Name | Enabled |
|----------------------------------|-------------------------------------|
| 10.20.7.63 - REK Center Rear PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.63 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.8.13)**Info**

| | |
|--------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.8.13) |
|--------------|---|

| | |
|-------------------------------|---------------------------|
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E866D41 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.8.13/ |
| <i>MAC address:</i> | AC:CC:8E:86:6D:41 |

Device list

| Name | Enabled |
|-----------------------------|-------------------------------------|
| 10.20.8.13 - SETB Courtyard | <input checked="" type="checkbox"/> |
| 10.20.8.13 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.9.9)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.9.9) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS1.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E866DC5 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.9.9/ |
| <i>MAC address:</i> | AC:CC:8E:86:6D:C5 |

Device list

| Name | Enabled |
|------------------------------|-------------------------------------|
| 10.20.9.9 - ITECC Indoor PTZ | <input checked="" type="checkbox"/> |
| 10.20.9.9 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |

| | |
|------------------------------|--------------------------------------|
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS F44 Dual Audio Input Network Camera (10.20.7.81)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.81) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA29FDF |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.81/ |
| <i>MAC address:</i> | AC:CC:8E:A2:9F:DF |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.81 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.81 - North Lobby | <input checked="" type="checkbox"/> |
| 10.20.7.81 - North North Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.81 - North South Entrance | <input checked="" type="checkbox"/> |
| 10.20.7.81 - North West View | <input checked="" type="checkbox"/> |
| 10.20.7.81 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.81 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.81 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.81 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.81 - Input 1 | <input type="checkbox"/> |
| 10.20.7.81 - Input 2 | <input type="checkbox"/> |
| 10.20.7.81 - Output 1 | <input type="checkbox"/> |
| 10.20.7.81 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.81 - North West View | <i>Enable PTZ:</i> | No |
| 10.20.7.81 - North North Entrance | <i>Enable PTZ:</i> | No |
| 10.20.7.81 - North Lobby | <i>Enable PTZ:</i> | No |
| 10.20.7.81 - North South Entrance | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.82)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.82) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA29EC5 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.82/ |
| <i>MAC address:</i> | AC:CC:8E:A2:9E:C5 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.82 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.82 - North 1st Floor East Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.82 - North 1st Floor East View | <input checked="" type="checkbox"/> |
| 10.20.7.82 - North 1st Floor South Hallway Exit | <input checked="" type="checkbox"/> |
| 10.20.7.82 - North East Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.82 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.82 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.82 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.82 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.82 - Input 1 | <input type="checkbox"/> |
| 10.20.7.82 - Input 2 | <input type="checkbox"/> |
| 10.20.7.82 - Output 1 | <input type="checkbox"/> |
| 10.20.7.82 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |

| | |
|------------------------------|-------|
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---|--------------------|----|
| 10.20.7.82 - North East Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.82 - North 1st Floor East View | <i>Enable PTZ:</i> | No |
| 10.20.7.82 - North 1st Floor East Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.82 - North 1st Floor South Hallway Exit | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.83)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.83) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA29F0C |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.83/ |
| <i>MAC address:</i> | AC:CC:8E:A2:9F:0C |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.83 - Camera 3 | <input type="checkbox"/> |
| 10.20.7.83 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.83 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.83 - North 1st Floor Eastview | <input checked="" type="checkbox"/> |
| 10.20.7.83 - North 1st Floor West Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.83 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.83 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.83 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.83 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.83 - Input 1 | <input type="checkbox"/> |
| 10.20.7.83 - Input 2 | <input type="checkbox"/> |
| 10.20.7.83 - Output 1 | <input type="checkbox"/> |
| 10.20.7.83 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|-----------|
| <i>Authentication type:</i> | Automatic |
|-----------------------------|-----------|

| | |
|------------------------------|--|
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.83 - North 1st Floor West Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.83 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.83 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.83 - North 1st Floor Eastview | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.88)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.7.88) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA4500F |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.88/ |
| <i>MAC address:</i> | AC:CC:8E:A4:50:0F |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.88 - Camera 1 | <input type="checkbox"/> |
| 10.20.7.88 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.88 - North 1st Floor South Exit | <input checked="" type="checkbox"/> |
| 10.20.7.88 - South 1st Floor | <input checked="" type="checkbox"/> |
| 10.20.7.88 - South Lobby | <input checked="" type="checkbox"/> |
| 10.20.7.88 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.88 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.88 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.88 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.88 - Input 1 | <input type="checkbox"/> |
| 10.20.7.88 - Input 2 | <input type="checkbox"/> |
| 10.20.7.88 - Output 1 | <input type="checkbox"/> |
| 10.20.7.88 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS F44 Dual Audio Input Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|---|-------------|----|
| 10.20.7.88 - North 1st Floor South Exit | Enable PTZ: | No |
| 10.20.7.88 - South 1st Floor | Enable PTZ: | No |
| 10.20.7.88 - South Lobby | Enable PTZ: | No |
| 10.20.7.88 - Camera 1 | Enable PTZ: | No |

AXIS F44 Dual Audio Input Network Camera (10.20.7.89)

Info

| | |
|------------------------|---|
| Name: | AXIS F44 Dual Audio Input Network Camera (10.20.7.89) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.50.1.3 |
| Serial number: | ACCC8EA4501A |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.89/ |
| MAC address: | AC:CC:8E:A4:50:1A |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.89 - Camera 4 | <input type="checkbox"/> |
| 10.20.7.89 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.89 - South 1st Floor East View | <input checked="" type="checkbox"/> |
| 10.20.7.89 - South 1st Floor West View | <input checked="" type="checkbox"/> |
| 10.20.7.89 - South Est Hallway | <input checked="" type="checkbox"/> |
| 10.20.7.89 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.89 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.89 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.89 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.89 - Input 1 | <input type="checkbox"/> |
| 10.20.7.89 - Input 2 | <input type="checkbox"/> |

| | |
|-----------------------|--------------------------|
| 10.20.7.89 - Output 1 | <input type="checkbox"/> |
| 10.20.7.89 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.89 - South Est Hallway | <i>Enable PTZ:</i> | No |
| 10.20.7.89 - South 1st Floor West View | <i>Enable PTZ:</i> | No |
| 10.20.7.89 - South 1st Floor East View | <i>Enable PTZ:</i> | No |
| 10.20.7.89 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.8.3)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.8.3) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA2A09B |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.8.3/ |
| <i>MAC address:</i> | AC:CC:8E:A2:A0:9B |

Device list

| Name | Enabled |
|--------------------------|-------------------------------------|
| 10.20.8.3 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.3 - SETB Annex | <input checked="" type="checkbox"/> |
| 10.20.8.3 - SETB Annex 2 | <input checked="" type="checkbox"/> |
| 10.20.8.3 - SETB Annex 3 | <input checked="" type="checkbox"/> |
| 10.20.8.3 - SETB Annex 4 | <input checked="" type="checkbox"/> |
| 10.20.8.3 - Microphone 1 | <input type="checkbox"/> |
| 10.20.8.3 - Microphone 2 | <input type="checkbox"/> |

| | |
|------------------------|--------------------------|
| 10.20.8.3 - Speaker 1 | <input type="checkbox"/> |
| 10.20.8.3 - Metadata 1 | <input type="checkbox"/> |
| 10.20.8.3 - Input 1 | <input type="checkbox"/> |
| 10.20.8.3 - Input 2 | <input type="checkbox"/> |
| 10.20.8.3 - Output 1 | <input type="checkbox"/> |
| 10.20.8.3 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------------|--------------------|----|
| 10.20.8.3 - SETB Annex | <i>Enable PTZ:</i> | No |
| 10.20.8.3 - SETB Annex 2 | <i>Enable PTZ:</i> | No |
| 10.20.8.3 - SETB Annex 4 | <i>Enable PTZ:</i> | No |
| 10.20.8.3 - SETB Annex 3 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.8.4)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.8.4) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA2B914 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.8.4/ |
| <i>MAC address:</i> | AC:CC:8E:A2:B9:14 |

Device list

| Name | Enabled |
|---------------------------------|-------------------------------------|
| 10.20.8.4 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.4 - SETB Computer Lab 1 | <input checked="" type="checkbox"/> |
| 10.20.8.4 - SETB Computer Lab 2 | <input checked="" type="checkbox"/> |
| 10.20.8.4 - SETB Computer Lab 3 | <input checked="" type="checkbox"/> |
| 10.20.8.4 - SETB Computer Lab 4 | <input checked="" type="checkbox"/> |

| | |
|--------------------------|--------------------------|
| 10.20.8.4 - Microphone 1 | <input type="checkbox"/> |
| 10.20.8.4 - Microphone 2 | <input type="checkbox"/> |
| 10.20.8.4 - Speaker 1 | <input type="checkbox"/> |
| 10.20.8.4 - Metadata 1 | <input type="checkbox"/> |
| 10.20.8.4 - Input 1 | <input type="checkbox"/> |
| 10.20.8.4 - Input 2 | <input type="checkbox"/> |
| 10.20.8.4 - Output 1 | <input type="checkbox"/> |
| 10.20.8.4 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------------|--------------------|----|
| 10.20.8.4 - SETB Computer Lab 4 | <i>Enable PTZ:</i> | No |
| 10.20.8.4 - SETB Computer Lab 3 | <i>Enable PTZ:</i> | No |
| 10.20.8.4 - SETB Computer Lab 2 | <i>Enable PTZ:</i> | No |
| 10.20.8.4 - SETB Computer Lab 1 | <i>Enable PTZ:</i> | No |

AXIS F44 Dual Audio Input Network Camera (10.20.8.9)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS F44 Dual Audio Input Network Camera (10.20.8.9) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.3 |
| <i>Serial number:</i> | ACCC8EA29EE6 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.8.9/ |
| <i>MAC address:</i> | AC:CC:8E:A2:9E:E6 |

Device list

| Name | Enabled |
|---------------------------------------|-------------------------------------|
| 10.20.8.9 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.9 - SETB 1st Floor South Side | <input checked="" type="checkbox"/> |
| 10.20.8.9 - SETB 2nd Floor South Side | <input checked="" type="checkbox"/> |
| 10.20.8.9 - SETB 2nd Floor South Side | <input checked="" type="checkbox"/> |
| 10.20.8.9 - SETB South Side 2 | <input checked="" type="checkbox"/> |
| 10.20.8.9 - Microphone 1 | <input type="checkbox"/> |
| 10.20.8.9 - Microphone 2 | <input type="checkbox"/> |
| 10.20.8.9 - Speaker 1 | <input type="checkbox"/> |
| 10.20.8.9 - Metadata 1 | <input type="checkbox"/> |
| 10.20.8.9 - Input 1 | <input type="checkbox"/> |
| 10.20.8.9 - Input 2 | <input type="checkbox"/> |
| 10.20.8.9 - Output 1 | <input type="checkbox"/> |
| 10.20.8.9 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS F44 Dual Audio Input Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------------------|--------------------|----|
| 10.20.8.9 - SETB 2nd Floor South Side | <i>Enable PTZ:</i> | No |
| 10.20.8.9 - SETB 2nd Floor South Side | <i>Enable PTZ:</i> | No |
| 10.20.8.9 - SETB South Side 2 | <i>Enable PTZ:</i> | No |
| 10.20.8.9 - SETB 1st Floor South Side | <i>Enable PTZ:</i> | No |

AXIS FA54 Main Unit (10.20.7.72)

Info

| | |
|-------------------------------|----------------------------------|
| <i>Name:</i> | AXIS FA54 Main Unit (10.20.7.72) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.55.4.2 |
| <i>Serial number:</i> | ACCC8E8982BD |

| | |
|---------------------|-----------------------|
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.72/ |
| <i>MAC address:</i> | AC:CC:8E:89:82:BD |

Device list

| Name | Enabled |
|---------------------------|-------------------------------------|
| 10.20.7.72 - Admissions 1 | <input checked="" type="checkbox"/> |
| 10.20.7.72 - Admissions 2 | <input checked="" type="checkbox"/> |
| 10.20.7.72 - Admissions 3 | <input checked="" type="checkbox"/> |
| 10.20.7.72 - Admissions 4 | <input checked="" type="checkbox"/> |
| 10.20.7.72 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.72 - Microphone 1 | <input type="checkbox"/> |
| 10.20.7.72 - Microphone 2 | <input type="checkbox"/> |
| 10.20.7.72 - Speaker 1 | <input type="checkbox"/> |
| 10.20.7.72 - Metadata 1 | <input type="checkbox"/> |
| 10.20.7.72 - Input 1 | <input type="checkbox"/> |
| 10.20.7.72 - Input 2 | <input type="checkbox"/> |
| 10.20.7.72 - Output 1 | <input type="checkbox"/> |
| 10.20.7.72 - Output 2 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|---------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS FA54 Main Unit |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------|--------------------|----|
| 10.20.7.72 - Admissions 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.72 - Admissions 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.72 - Admissions 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.72 - Admissions 4 | <i>Enable PTZ:</i> | No |

AXIS M3024-L Network Camera (10.20.7.32)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS M3024-L Network Camera (10.20.7.32) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel device |

| | |
|----------------|-----------------------|
| Version: | 5.50.5.7 |
| Serial number: | ACCC8EC53582 |
| Driver: | AXIS 1 channel device |
| Address: | http://10.20.7.32/ |
| MAC address: | AC:CC:8E:C5:35:82 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| AXIS M3024-L Network Camera (10.20.7.32) - Camera 1 | <input checked="" type="checkbox"/> |
| AXIS M3024-L Network Camera (10.20.7.32) - Metadata 1 | <input type="checkbox"/> |
| AXIS M3024-L Network Camera (10.20.7.32) - Input 1 | <input type="checkbox"/> |
| AXIS M3024-L Network Camera (10.20.7.32) - Output 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|-----------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS M3024-L Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | No |

PTZ

| | | |
|---|-------------|----|
| AXIS M3024-L Network Camera (10.20.7.32) - Camera 1 | Enable PTZ: | No |
|---|-------------|----|

AXIS P3225-LV Mk II Network Camera (10.20.8.5)

Info

| | |
|------------------------|--|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.8.5) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8E9A49DC |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.8.5/ |
| MAC address: | AC:CC:8E:9A:49:DC |

Device list

| Name | Enabled |
|----------------------|--------------------------|
| 10.20.8.5 - Camera 2 | <input type="checkbox"/> |
| 10.20.8.5 - Camera 3 | <input type="checkbox"/> |
| 10.20.8.5 - Camera 4 | <input type="checkbox"/> |

| | |
|-------------------------------------|-------------------------------------|
| 10.20.8.5 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.5 - Camera 6 | <input type="checkbox"/> |
| 10.20.8.5 - Camera 7 | <input type="checkbox"/> |
| 10.20.8.5 - Camera 8 | <input type="checkbox"/> |
| 10.20.8.5 - SETB Elevator 1st Floor | <input checked="" type="checkbox"/> |
| 10.20.8.5 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.8.5 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.8.5 - SETB Elevator 1st Floor | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.8.6)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.8.6) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |

| | |
|-----------------------|-----------------------|
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8EA2DAB7 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.8.6/ |
| <i>MAC address:</i> | AC:CC:8E:A2:DA:B7 |

Device list

| Name | Enabled |
|----------------------------|-------------------------------------|
| 10.20.8.6 - Camera 2 | <input type="checkbox"/> |
| 10.20.8.6 - Camera 3 | <input type="checkbox"/> |
| 10.20.8.6 - Camera 4 | <input type="checkbox"/> |
| 10.20.8.6 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.6 - Camera 6 | <input type="checkbox"/> |
| 10.20.8.6 - Camera 7 | <input type="checkbox"/> |
| 10.20.8.6 - Camera 8 | <input type="checkbox"/> |
| 10.20.8.6 - SETB 2nd Floor | <input checked="" type="checkbox"/> |
| 10.20.8.6 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------|--------------------|----|
| 10.20.8.6 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.8.6 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.8.6 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.8.6 - SETB 2nd Floor | <i>Enable PTZ:</i> | No |
| 10.20.8.6 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.8.6 - Camera 2 | <i>Enable PTZ:</i> | No |

| | | |
|----------------------|--------------------|----|
| 10.20.8.6 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.8.6 - Camera 4 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.8.7)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.8.7) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8EA2E14F |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.8.7/ |
| <i>MAC address:</i> | AC:CC:8E:A2:E1:4F |

Device list

| Name | Enabled |
|---------------------------------------|-------------------------------------|
| 10.20.8.7 - Camera 2 | <input type="checkbox"/> |
| 10.20.8.7 - Camera 3 | <input type="checkbox"/> |
| 10.20.8.7 - Camera 4 | <input type="checkbox"/> |
| 10.20.8.7 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.7 - Camera 6 | <input type="checkbox"/> |
| 10.20.8.7 - Camera 7 | <input type="checkbox"/> |
| 10.20.8.7 - Camera 8 | <input type="checkbox"/> |
| 10.20.8.7 - SETB 1st Floor Annex Side | <input checked="" type="checkbox"/> |
| 10.20.8.7 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| |
|----------------------|
| 10.20.8.7 - Camera 3 |
|----------------------|

| | | |
|---------------------------------------|-------------|----|
| 10.20.8.7 - Camera 5 | Enable PTZ: | No |
| 10.20.8.7 - Camera 4 | Enable PTZ: | No |
| 10.20.8.7 - Camera 8 | Enable PTZ: | No |
| 10.20.8.7 - Camera 2 | Enable PTZ: | No |
| 10.20.8.7 - SETB 1st Floor Annex Side | Enable PTZ: | No |
| 10.20.8.7 - Camera 6 | Enable PTZ: | No |
| 10.20.8.7 - Camera 7 | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.8.8)

Info

| | |
|------------------------|--|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.8.8) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8EA2DACB |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.8.8/ |
| MAC address: | AC:CC:8E:A2:DA:CB |

Device list

| Name | Enabled |
|---------------------------------------|-------------------------------------|
| 10.20.8.8 - Camera 2 | <input type="checkbox"/> |
| 10.20.8.8 - Camera 3 | <input type="checkbox"/> |
| 10.20.8.8 - Camera 4 | <input type="checkbox"/> |
| 10.20.8.8 - Camera 5 | <input type="checkbox"/> |
| 10.20.8.8 - Camera 6 | <input type="checkbox"/> |
| 10.20.8.8 - Camera 7 | <input type="checkbox"/> |
| 10.20.8.8 - Camera 8 | <input type="checkbox"/> |
| 10.20.8.8 - SETB 1st Floor Main Lobby | <input checked="" type="checkbox"/> |
| 10.20.8.8 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|----------------------|-----------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| Brightness: | 50 |
| Contrast: | 50 |

| | |
|------------------------------|------------------------------------|
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.8.8 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - SETB 1st Floor Main Lobby | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.8.8 - Camera 8 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.9.3)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.9.3) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8EA2DAA0 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.9.3/ |
| <i>MAC address:</i> | AC:CC:8E:A2:DA:A0 |

Device list

| Name | Enabled |
|----------------------|--------------------------|
| 10.20.9.3 - Camera 2 | <input type="checkbox"/> |
| 10.20.9.3 - Camera 3 | <input type="checkbox"/> |
| 10.20.9.3 - Camera 4 | <input type="checkbox"/> |

| | |
|-------------------------------|-------------------------------------|
| 10.20.9.3 - Camera 5 | <input type="checkbox"/> |
| 10.20.9.3 - Camera 6 | <input type="checkbox"/> |
| 10.20.9.3 - Camera 7 | <input type="checkbox"/> |
| 10.20.9.3 - Camera 8 | <input type="checkbox"/> |
| 10.20.9.3 - ITECC EMS/ER Room | <input checked="" type="checkbox"/> |
| 10.20.9.3 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-------------------------------|--------------------|----|
| 10.20.9.3 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - ITECC EMS/ER Room | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.9.3 - Camera 2 | <i>Enable PTZ:</i> | No |

AXIS P3225-LV Mk II Network Camera (10.20.9.4)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS P3225-LV Mk II Network Camera (10.20.9.4) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |

| | |
|-----------------------|-----------------------|
| <i>Model:</i> | Axis 8 channel device |
| <i>Version:</i> | 6.55.5 |
| <i>Serial number:</i> | ACCC8EA2D8F8 |
| <i>Driver:</i> | AXIS 8 channel device |
| <i>Address:</i> | http://10.20.9.4/ |
| <i>MAC address:</i> | AC:CC:8E:A2:D8:F8 |

Device list

| Name | Enabled |
|---------------------------------|-------------------------------------|
| 10.20.9.4 - Camera 2 | <input type="checkbox"/> |
| 10.20.9.4 - Camera 3 | <input type="checkbox"/> |
| 10.20.9.4 - Camera 4 | <input type="checkbox"/> |
| 10.20.9.4 - Camera 5 | <input type="checkbox"/> |
| 10.20.9.4 - Camera 6 | <input type="checkbox"/> |
| 10.20.9.4 - Camera 7 | <input type="checkbox"/> |
| 10.20.9.4 - Camera 8 | <input type="checkbox"/> |
| 10.20.9.4 - ITECC H3A Back Hall | <input checked="" type="checkbox"/> |
| 10.20.9.4 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>Brightness:</i> | 50 |
| <i>Contrast:</i> | 50 |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3225-LV Mk II Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Saturation:</i> | 50 |
| <i>Sharpness:</i> | 50 |
| <i>White balance:</i> | Automatic |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------------|--------------------|----|
| 10.20.9.4 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.9.4 - ITECC H3A Back Hall | <i>Enable PTZ:</i> | No |
| 10.20.9.4 - Camera 2 | <i>Enable PTZ:</i> | No |
| 10.20.9.4 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.9.4 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.9.4 - Camera 3 | <i>Enable PTZ:</i> | No |

| | | |
|----------------------|-------------|----|
| 10.20.9.4 - Camera 6 | Enable PTZ: | No |
| 10.20.9.4 - Camera 7 | Enable PTZ: | No |
| | Enable PTZ: | No |

AXIS P3225-LV Mk II Network Camera (10.20.9.5)

Info

| | |
|------------------------|--|
| Name: | AXIS P3225-LV Mk II Network Camera (10.20.9.5) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 8 channel device |
| Version: | 6.55.5 |
| Serial number: | ACCC8EA2DA95 |
| Driver: | AXIS 8 channel device |
| Address: | http://10.20.9.5/ |
| MAC address: | AC:CC:8E:A2:DA:95 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.9.5 - Camera 2 | <input type="checkbox"/> |
| 10.20.9.5 - Camera 3 | <input type="checkbox"/> |
| 10.20.9.5 - Camera 4 | <input type="checkbox"/> |
| 10.20.9.5 - Camera 5 | <input type="checkbox"/> |
| 10.20.9.5 - Camera 6 | <input type="checkbox"/> |
| 10.20.9.5 - Camera 7 | <input type="checkbox"/> |
| 10.20.9.5 - Camera 8 | <input type="checkbox"/> |
| 10.20.9.5 - ITECC Nursing Rear Entrance | <input checked="" type="checkbox"/> |
| 10.20.9.5 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| Brightness: | 50 |
| Contrast: | 50 |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS P3225-LV Mk II Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Saturation: | 50 |
| Sharpness: | 50 |
| White balance: | Automatic |
| Zipstream supported: | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.9.5 - Camera 7 | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - ITECC Nursing Rear Entrance | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - Camera 6 | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - Camera 4 | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - Camera 5 | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - Camera 8 | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - Camera 3 | <i>Enable PTZ:</i> | No |
| 10.20.9.5 - Camera 2 | <i>Enable PTZ:</i> | No |

AXIS P3707-PE Network Camera (10.20.7.71)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS P3707-PE Network Camera (10.20.7.71) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E8F9E06 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.71/ |
| <i>MAC address:</i> | AC:CC:8E:8F:9E:06 |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.71 - Camera 5 | <input type="checkbox"/> |
| 10.20.7.71 - Oliveira 2nd Floor 1 | <input checked="" type="checkbox"/> |
| 10.20.7.71 - Oliveira 2nd Floor 2 | <input checked="" type="checkbox"/> |
| 10.20.7.71 - Oliveira 2nd Floor 3 | <input checked="" type="checkbox"/> |
| 10.20.7.71 - Oliveira 2nd Floor 4 | <input checked="" type="checkbox"/> |
| 10.20.7.71 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------------|------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS P3707-PE Network Camera |

| | |
|------------------------------|-------|
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.71 - Oliveira 2nd Floor 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.71 - Oliveira 2nd Floor 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.71 - Oliveira 2nd Floor 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.71 - Oliveira 2nd Floor 3 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.64)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.64) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963C1E |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.64/ |
| <i>MAC address:</i> | AC:CC:8E:96:3C:1E |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.64 - REK Center Baseball Side 1 | <input checked="" type="checkbox"/> |
| 10.20.7.64 - REK Center Baseball Side 2 | <input checked="" type="checkbox"/> |
| 10.20.7.64 - REK Center Baseball Side 3 | <input checked="" type="checkbox"/> |
| 10.20.7.64 - REK Center Baseball Side 4 | <input checked="" type="checkbox"/> |
| 10.20.7.64 - REK Center Baseball Side Overview | <input checked="" type="checkbox"/> |
| 10.20.7.64 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |

| | |
|-----------------------------|-----|
| <i>Zipstream supported:</i> | Yes |
|-----------------------------|-----|

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.64 - REK Center Baseball Side 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.64 - REK Center Baseball Side 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.64 - REK Center Baseball Side 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.64 - REK Center Baseball Side 3 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.73)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.73) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963B7D |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.73/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:7D |

Device list

| Name | Enabled |
|--------------------------------|-------------------------------------|
| 10.20.7.73 - Oliveira 1 | <input checked="" type="checkbox"/> |
| 10.20.7.73 - Oliveira 2 | <input checked="" type="checkbox"/> |
| 10.20.7.73 - Oliveira 3 | <input checked="" type="checkbox"/> |
| 10.20.7.73 - Oliveira 4 | <input checked="" type="checkbox"/> |
| 10.20.7.73 - Oliveira Overview | <input checked="" type="checkbox"/> |
| 10.20.7.73 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-------------------------|--------------------|----|
| 10.20.7.73 - Oliveira 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.73 - Oliveira 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.73 - Oliveira 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.73 - Oliveira 3 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.75)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.75) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963B9B |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.75/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:9B |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.75 - Eidman Hall 1 | <input checked="" type="checkbox"/> |
| 10.20.7.75 - Eidman Hall 2 | <input checked="" type="checkbox"/> |
| 10.20.7.75 - Eidman Hall 3 | <input checked="" type="checkbox"/> |
| 10.20.7.75 - Eidman Hall 4 | <input checked="" type="checkbox"/> |
| 10.20.7.75 - Eidman Hall Overview | <input checked="" type="checkbox"/> |
| 10.20.7.75 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------|--------------------|----|
| 10.20.7.75 - Eidman Hall 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.75 - Eidman Hall 1 | <i>Enable PTZ:</i> | No |

| | | |
|----------------------------|--------------------|----|
| 10.20.7.75 - Eidman Hall 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.75 - Eidman Hall 2 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.84)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.84) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963C22 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.84/ |
| <i>MAC address:</i> | AC:CC:8E:96:3C:22 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.84 - Cardenas South 1 Resaca Side | <input checked="" type="checkbox"/> |
| 10.20.7.84 - Cardenas South 2 Resaca Side | <input checked="" type="checkbox"/> |
| 10.20.7.84 - Cardenas South 3 Resaca Side | <input checked="" type="checkbox"/> |
| 10.20.7.84 - Cardenas South 4 Resaca Side | <input checked="" type="checkbox"/> |
| 10.20.7.84 - Cardenas South Overview | <input checked="" type="checkbox"/> |
| 10.20.7.84 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--|--------------------|----|
| 10.20.7.84 - Cardenas South 1 Resaca Side | <i>Enable PTZ:</i> | No |
| 10.20.7.84 - Cardenas South 2 Resaca Side | <i>Enable PTZ:</i> | No |
| 10.20.7.84 - Cardenas South 4 Resaca Side | <i>Enable PTZ:</i> | No |

10.20.7.84 - Cardenas South
3 Resaca Side

Enable PTZ: No

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.86)

Info

Name: AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.86)
Description:
Recording server name: ASC-RS2.ad.tsc.edu
Model: Axis 4 channel device
Version: 6.40.1
Serial number: ACCC8E963428
Driver: AXIS 4 channel device
Address: http://10.20.7.86/
MAC address: AC:CC:8E:96:34:28

Device list

| Name | Enabled |
|--------------------------------------|-------------------------------------|
| 10.20.7.86 - Cardenas North 1 | <input checked="" type="checkbox"/> |
| 10.20.7.86 - Cardenas North 2 | <input checked="" type="checkbox"/> |
| 10.20.7.86 - Cardenas North 3 | <input checked="" type="checkbox"/> |
| 10.20.7.86 - Cardenas North 4 | <input checked="" type="checkbox"/> |
| 10.20.7.86 - Cardenas North Overview | <input checked="" type="checkbox"/> |
| 10.20.7.86 - Metadata 1 | <input type="checkbox"/> |

Settings

Authentication type: Automatic
Bandwidth: Unlimited
HTTPS Enabled: No
HTTPS Port: 443
Model name: AXIS Q6000-E Mk II PTZ Dome Network Camera
Multicast end port: 50999
Multicast start port: 50000
Zipstream supported: Yes

PTZ

| | | |
|----------------------------------|-------------|----|
| 10.20.7.86 - Cardenas North 1 | Enable PTZ: | No |
| 10.20.7.86 - Cardenas North 2 | Enable PTZ: | No |
| 10.20.7.86 - Cardenas North 3 | Enable PTZ: | No |
| 10.20.7.86 - Cardenas North 4 | Enable PTZ: | No |

| | |
|--------------------|----|
| <i>Enable PTZ:</i> | No |
|--------------------|----|

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.91)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.91) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963B5C |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.91/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:5C |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.91 - Champion Building 1 | <input checked="" type="checkbox"/> |
| 10.20.7.91 - Champion Building 2 | <input checked="" type="checkbox"/> |
| 10.20.7.91 - Champion Building 3 | <input checked="" type="checkbox"/> |
| 10.20.7.91 - Champion Building 4 | <input checked="" type="checkbox"/> |
| 10.20.7.91 - Champion Building Overview | <input checked="" type="checkbox"/> |
| 10.20.7.91 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|----------------------------------|--------------------|----|
| 10.20.7.91 - Champion Building 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.91 - Champion Building 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.91 - Champion Building 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.91 - Champion Building 1 | <i>Enable PTZ:</i> | No |

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.93) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963C04 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.93/ |
| <i>MAC address:</i> | AC:CC:8E:96:3C:04 |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.93 - Commisary Building 1 | <input checked="" type="checkbox"/> |
| 10.20.7.93 - Commisary Building 2 | <input checked="" type="checkbox"/> |
| 10.20.7.93 - Commisary Building 3 | <input checked="" type="checkbox"/> |
| 10.20.7.93 - Commisary Building 4 | <input checked="" type="checkbox"/> |
| 10.20.7.93 - Commisary Overview | <input checked="" type="checkbox"/> |
| 10.20.7.93 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.93 - Commisary Building 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.93 - Commisary Building 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.93 - Commisary Building 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.93 - Commisary Building 2 | <i>Enable PTZ:</i> | No |

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.95) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963B9D |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.95/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:9D |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.95 - Muisic Parking lot 1 | <input checked="" type="checkbox"/> |
| 10.20.7.95 - Muisic Parking lot 2 | <input checked="" type="checkbox"/> |
| 10.20.7.95 - Muisic Parking lot 3 | <input checked="" type="checkbox"/> |
| 10.20.7.95 - Music Parking lot 4 | <input checked="" type="checkbox"/> |
| 10.20.7.95 - Music Parking Lot Overview | <input checked="" type="checkbox"/> |
| 10.20.7.95 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.7.95 - Muisic Parking lot 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.95 - Muisic Parking lot 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.95 - Muisic Parking lot 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.95 - Music Parking lot 4 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.97)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.97) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.40.1 |
| Serial number: | ACCC8E96342A |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.7.97/ |
| MAC address: | AC:CC:8E:96:34:2A |

Device list

| Name | Enabled |
|------------------------------|-------------------------------------|
| 10.20.7.97 - Gorgas 1 | <input checked="" type="checkbox"/> |
| 10.20.7.97 - Gorgas 2 | <input checked="" type="checkbox"/> |
| 10.20.7.97 - Gorgas 3 | <input checked="" type="checkbox"/> |
| 10.20.7.97 - Gorgas 4 | <input checked="" type="checkbox"/> |
| 10.20.7.97 - Gorgas Overview | <input checked="" type="checkbox"/> |
| 10.20.7.97 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|-----------------------|-------------|----|
| 10.20.7.97 - Gorgas 3 | Enable PTZ: | No |
| 10.20.7.97 - Gorgas 1 | Enable PTZ: | No |
| 10.20.7.97 - Gorgas 4 | Enable PTZ: | No |
| 10.20.7.97 - Gorgas 2 | Enable PTZ: | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.101)

Info

| | |
|--------------|--|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.101) |
| Description: | |

| | |
|-------------------------------|-----------------------|
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E9612FF |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.101/ |
| <i>MAC address:</i> | AC:CC:8E:96:12:FF |

Device list

| Name | Enabled |
|---------------------------------------|-------------------------------------|
| 10.20.7.101 - Physical Plan 1 | <input checked="" type="checkbox"/> |
| 10.20.7.101 - Physical Plan 2 | <input checked="" type="checkbox"/> |
| 10.20.7.101 - Physical Plan 3 | <input checked="" type="checkbox"/> |
| 10.20.7.101 - Physical Plan 4 | <input checked="" type="checkbox"/> |
| 10.20.7.101 - Physical Plant Overview | <input checked="" type="checkbox"/> |
| 10.20.7.101 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-------------------------------|--------------------|----|
| 10.20.7.101 - Physical Plan 3 | <i>Enable PTZ:</i> | No |
| 10.20.7.101 - Physical Plan 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.101 - Physical Plan 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.101 - Physical Plan 2 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.103)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.7.103) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |

| | |
|-----------------------|-----------------------|
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963C03 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.7.103/ |
| <i>MAC address:</i> | AC:CC:8E:96:3C:03 |

Device list

| Name | Enabled |
|---------------------------------|-------------------------------------|
| 10.20.7.103 - Oliveira 1 | <input checked="" type="checkbox"/> |
| 10.20.7.103 - Oliveira 2 | <input checked="" type="checkbox"/> |
| 10.20.7.103 - Oliveira 3 | <input checked="" type="checkbox"/> |
| 10.20.7.103 - Oliveira 4 | <input checked="" type="checkbox"/> |
| 10.20.7.103 - Oliveira Overview | <input checked="" type="checkbox"/> |
| 10.20.7.103 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|--------------------------|--------------------|----|
| 10.20.7.103 - Oliveira 4 | <i>Enable PTZ:</i> | No |
| 10.20.7.103 - Oliveira 1 | <i>Enable PTZ:</i> | No |
| 10.20.7.103 - Oliveira 2 | <i>Enable PTZ:</i> | No |
| 10.20.7.103 - Oliveira 3 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.10)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.10) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963BE4 |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.8.10/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:E4 |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.8.10 - SETB Parking Lot 1 | <input checked="" type="checkbox"/> |
| 10.20.8.10 - SETB Parking Lot 2 | <input checked="" type="checkbox"/> |
| 10.20.8.10 - SETB Parking Lot 3 | <input checked="" type="checkbox"/> |
| 10.20.8.10 - SETB Parking Lot 4 | <input checked="" type="checkbox"/> |
| 10.20.8.10 - SETB Parking Lot Overview | <input checked="" type="checkbox"/> |
| 10.20.8.10 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|---------------------------------|-------------|----|
| 10.20.8.10 - SETB Parking Lot 4 | Enable PTZ: | No |
| 10.20.8.10 - SETB Parking Lot 2 | Enable PTZ: | No |
| 10.20.8.10 - SETB Parking Lot 1 | Enable PTZ: | No |
| 10.20.8.10 - SETB Parking Lot 3 | Enable PTZ: | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.14)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.14) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.40.1 |
| Serial number: | ACCC8E963B5D |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.8.14/ |
| MAC address: | AC:CC:8E:96:3B:5D |

Device list

| Name | Enabled |
|----------------------------------|-------------------------------------|
| 10.20.8.14 - SETB North 1 | <input checked="" type="checkbox"/> |
| 10.20.8.14 - SETB North 2 | <input checked="" type="checkbox"/> |
| 10.20.8.14 - SETB North 3 | <input checked="" type="checkbox"/> |
| 10.20.8.14 - SETB North 4 | <input checked="" type="checkbox"/> |
| 10.20.8.14 - SETB North Overview | <input checked="" type="checkbox"/> |
| 10.20.8.14 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|---------------------------|--------------------|----|
| 10.20.8.14 - SETB North 3 | <i>Enable PTZ:</i> | No |
| 10.20.8.14 - SETB North 4 | <i>Enable PTZ:</i> | No |
| 10.20.8.14 - SETB North 1 | <i>Enable PTZ:</i> | No |
| 10.20.8.14 - SETB North 2 | <i>Enable PTZ:</i> | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.16)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.8.16) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 4 channel device |
| <i>Version:</i> | 6.40.1 |
| <i>Serial number:</i> | ACCC8E963B7C |
| <i>Driver:</i> | AXIS 4 channel device |
| <i>Address:</i> | http://10.20.8.16/ |
| <i>MAC address:</i> | AC:CC:8E:96:3B:7C |

Device list

| Name | Enabled |
|------------------------------|-------------------------------------|
| 10.20.8.16 - Newman Center 1 | <input checked="" type="checkbox"/> |
| 10.20.8.16 - Newman Center 2 | <input checked="" type="checkbox"/> |
| 10.20.8.16 - Newman Center 3 | <input checked="" type="checkbox"/> |
| 10.20.8.16 - Newman Center 4 | <input checked="" type="checkbox"/> |

| | |
|-------------------------------------|-------------------------------------|
| 10.20.8.16 - Newman Center Overview | <input checked="" type="checkbox"/> |
| 10.20.8.16 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|---------------------------------|-------------|----|
| 10.20.8.16 - Newman Center 2 | Enable PTZ: | No |
| 10.20.8.16 - Newman Center 3 | Enable PTZ: | No |
| 10.20.8.16 - Newman Center 4 | Enable PTZ: | No |
| 10.20.8.16 - Newman Center 1 | Enable PTZ: | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.6)

Info

| | |
|------------------------|--|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.6) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.40.1 |
| Serial number: | ACCC8E963B9A |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.9.6/ |
| MAC address: | AC:CC:8E:96:3B:9A |

Device list

| Name | Enabled |
|--------------------------------|-------------------------------------|
| 10.20.9.6 - WorkForce Overview | <input checked="" type="checkbox"/> |
| 10.20.9.6 - Workforce PL1 | <input checked="" type="checkbox"/> |
| 10.20.9.6 - Workforce PL2 | <input checked="" type="checkbox"/> |
| 10.20.9.6 - Workforce PL3 | <input checked="" type="checkbox"/> |
| 10.20.9.6 - Workforce PL4 | <input checked="" type="checkbox"/> |
| 10.20.9.6 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

PTZ

| | | |
|---------------------------|-------------|----|
| 10.20.9.6 - Workforce PL1 | Enable PTZ: | No |
| 10.20.9.6 - Workforce PL2 | Enable PTZ: | No |
| 10.20.9.6 - Workforce PL4 | Enable PTZ: | No |
| 10.20.9.6 - Workforce PL3 | Enable PTZ: | No |

AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.10)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6000-E Mk II PTZ Dome Network Camera (10.20.9.10) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 4 channel device |
| Version: | 6.40.1 |
| Serial number: | ACCC8E963B97 |
| Driver: | AXIS 4 channel device |
| Address: | http://10.20.9.10/ |
| MAC address: | AC:CC:8E:96:3B:97 |

Device list

| Name | Enabled |
|--------------------------------|-------------------------------------|
| 10.20.9.10 - ITECC Dillard's 1 | <input checked="" type="checkbox"/> |
| 10.20.9.10 - ITECC Dillard's 2 | <input checked="" type="checkbox"/> |
| 10.20.9.10 - ITECC Dillard's 3 | <input checked="" type="checkbox"/> |
| 10.20.9.10 - ITECC Dillard's 4 | <input checked="" type="checkbox"/> |
| 10.20.9.10 - ITECC Overview | <input checked="" type="checkbox"/> |
| 10.20.9.10 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|----------------------|-----------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |

| | |
|------------------------------|--|
| <i>Model name:</i> | AXIS Q6000-E Mk II PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

PTZ

| | | |
|-----------------------------------|--------------------|----|
| 10.20.9.10 - ITECC Dillard's 3 | <i>Enable PTZ:</i> | No |
| 10.20.9.10 - ITECC Dillard's 4 | <i>Enable PTZ:</i> | No |
| 10.20.9.10 - ITECC Dillard's 2 | <i>Enable PTZ:</i> | No |
| 10.20.9.10 - ITECC Dillard's 1 | <i>Enable PTZ:</i> | No |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.65)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.65) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E866D5D |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.65/ |
| <i>MAC address:</i> | AC:CC:8E:86:6D:5D |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.65 - REK Center PTZ Soccer Field | <input checked="" type="checkbox"/> |
| 10.20.7.65 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.74)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.74) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 1 channel PTZ device |
| Version: | 6.50.1.2 |
| Serial number: | ACCC8E866D2B |
| Driver: | AXIS 1 channel PTZ device |
| Address: | http://10.20.7.74/ |
| MAC address: | AC:CC:8E:86:6D:2B |

Device list

| Name | Enabled |
|-----------------------------------|-------------------------------------|
| 10.20.7.74 - Oliveira/Library PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.74 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6155-E PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.76)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.76) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 1 channel PTZ device |
| Version: | 7.30.1 |
| Serial number: | ACCC8E867262 |
| Driver: | AXIS 1 channel PTZ device |
| Address: | http://10.20.7.76/ |
| MAC address: | AC:CC:8E:86:72:62 |

Device list

| Name | Enabled |
|------------------------------|-------------------------------------|
| 10.20.7.76 - Eidman Hall PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.76 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.85)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.85) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E866D68 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.85/ |
| <i>MAC address:</i> | AC:CC:8E:86:6D:68 |

Device list

| Name | Enabled |
|---|-------------------------------------|
| 10.20.7.85 - Cardenas South PTZ Resaca Side | <input checked="" type="checkbox"/> |
| 10.20.7.85 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.87)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.87) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E867259 |

| | |
|---------------------|---------------------------|
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.87/ |
| <i>MAC address:</i> | AC:CC:8E:86:72:59 |

Device list

| Name | Enabled |
|---------------------------------|-------------------------------------|
| 10.20.7.87 - Cardenas North PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.87 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.92)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.92) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E867261 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.92/ |
| <i>MAC address:</i> | AC:CC:8E:86:72:61 |

Device list

| Name | Enabled |
|------------------------------------|-------------------------------------|
| 10.20.7.92 - Champion Building PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.92 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.94)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.94) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 1 channel PTZ device |
| Version: | 6.50.1.2 |
| Serial number: | ACCC8E86725D |
| Driver: | AXIS 1 channel PTZ device |
| Address: | http://10.20.7.94/ |
| MAC address: | AC:CC:8E:86:72:5D |

Device list

| Name | Enabled |
|------------------------------------|-------------------------------------|
| 10.20.7.94 - Commisay Building PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.94 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6155-E PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.96)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.96) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 1 channel PTZ device |
| Version: | 6.50.1.2 |
| Serial number: | ACCC8E867257 |
| Driver: | AXIS 1 channel PTZ device |
| Address: | http://10.20.7.96/ |
| MAC address: | AC:CC:8E:86:72:57 |

Device list

| Name | Enabled |
|-------------------------------------|-------------------------------------|
| 10.20.7.96 - Muisic Parking lot PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.96 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.98)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.98) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E86725A |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.98/ |
| <i>MAC address:</i> | AC:CC:8E:86:72:5A |

Device list

| Name | Enabled |
|-------------------------|-------------------------------------|
| 10.20.7.98 - Gorgas PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.98 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.102)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.102) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E86725C |

| | |
|---------------------|---------------------------|
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.102/ |
| <i>MAC address:</i> | AC:CC:8E:86:72:5C |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.102 - Physical Plant and Central Receiving PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.102 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.7.104)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.7.104) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E867255 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.7.104/ |
| <i>MAC address:</i> | AC:CC:8E:86:72:55 |

Device list

| Name | Enabled |
|--|-------------------------------------|
| 10.20.7.104 - Oliveira/May Parking PTZ | <input checked="" type="checkbox"/> |
| 10.20.7.104 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.8.11)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.8.11) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 1 channel PTZ device |
| Version: | 6.50.1.2 |
| Serial number: | ACCC8E866E07 |
| Driver: | AXIS 1 channel PTZ device |
| Address: | http://10.20.8.11/ |
| MAC address: | AC:CC:8E:86:6E:07 |

Device list

| Name | Enabled |
|-------------------------------------|-------------------------------------|
| 10.20.8.11 - SETB Annex/Parking PTZ | <input checked="" type="checkbox"/> |
| 10.20.8.11 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|-----------------------|--------------------------------------|
| Authentication type: | Automatic |
| Bandwidth: | Unlimited |
| HTTPS Enabled: | No |
| HTTPS Port: | 443 |
| Model name: | AXIS Q6155-E PTZ Dome Network Camera |
| Multicast end port: | 50999 |
| Multicast start port: | 50000 |
| Zipstream supported: | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.8.15)

Info

| | |
|------------------------|---|
| Name: | AXIS Q6155-E PTZ Dome Network Camera (10.20.8.15) |
| Description: | |
| Recording server name: | ASC-RS2.ad.tsc.edu |
| Model: | Axis 1 channel PTZ device |
| Version: | 7.30.1 |
| Serial number: | ACCC8E86725F |
| Driver: | AXIS 1 channel PTZ device |
| Address: | http://10.20.8.15/ |
| MAC address: | AC:CC:8E:86:72:5F |

Device list

| Name | Enabled |
|-----------------------------|-------------------------------------|
| 10.20.8.15 - SETB North PTZ | <input checked="" type="checkbox"/> |
| 10.20.8.15 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.8.17)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.8.17) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E867264 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.8.17/ |
| <i>MAC address:</i> | AC:CC:8E:86:72:64 |

Device list

| Name | Enabled |
|--------------------------------|-------------------------------------|
| 10.20.8.17 - Newman Center PTZ | <input checked="" type="checkbox"/> |
| 10.20.8.17 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.9.7)

Info

| | |
|-------------------------------|--|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.9.7) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 6.50.1.2 |
| <i>Serial number:</i> | ACCC8E866D61 |

| | |
|---------------------|---------------------------|
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.9.7/ |
| <i>MAC address:</i> | AC:CC:8E:86:6D:61 |

Device list

| Name | Enabled |
|---------------------------------------|-------------------------------------|
| 10.20.9.7 - Workforce Parking Lot PTZ | <input checked="" type="checkbox"/> |
| 10.20.9.7 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

AXIS Q6155-E PTZ Dome Network Camera (10.20.9.11)

Info

| | |
|-------------------------------|---|
| <i>Name:</i> | AXIS Q6155-E PTZ Dome Network Camera (10.20.9.11) |
| <i>Description:</i> | |
| <i>Recording server name:</i> | ASC-RS2.ad.tsc.edu |
| <i>Model:</i> | Axis 1 channel PTZ device |
| <i>Version:</i> | 7.30.1 |
| <i>Serial number:</i> | ACCC8E866D16 |
| <i>Driver:</i> | AXIS 1 channel PTZ device |
| <i>Address:</i> | http://10.20.9.11/ |
| <i>MAC address:</i> | AC:CC:8E:86:6D:16 |

Device list

| Name | Enabled |
|---------------------------------|-------------------------------------|
| 10.20.9.11 - ITECC Dillards PTZ | <input checked="" type="checkbox"/> |
| 10.20.9.11 - Metadata 1 | <input type="checkbox"/> |

Settings

| | |
|------------------------------|--------------------------------------|
| <i>Authentication type:</i> | Automatic |
| <i>Bandwidth:</i> | Unlimited |
| <i>HTTPS Enabled:</i> | No |
| <i>HTTPS Port:</i> | 443 |
| <i>Model name:</i> | AXIS Q6155-E PTZ Dome Network Camera |
| <i>Multicast end port:</i> | 50999 |
| <i>Multicast start port:</i> | 50000 |
| <i>Zipstream supported:</i> | Yes |

Failover groups

FO1

Info

| | |
|---------------------|------------------------------------|
| <i>Name:</i> | FO1 |
| <i>Description:</i> | Fail Over Server 1 for RS1 and RS2 |

Failover sequence

- ASC-FO1.ad.tsc.edu

ASC-FO1.ad.tsc.edu

Info

| | |
|---------------------------|---|
| <i>Name:</i> | ASC-FO1.ad.tsc.edu |
| <i>Description:</i> | FO1 is located in the MDF @ Tandy Building, left rack middle stack. |
| <i>Host name:</i> | ASC-FO1.ad.tsc.edu |
| <i>UDP port:</i> | 8844 |
| <i>Database location:</i> | D:\MediaDatabase |
| <i>Enabled:</i> | Yes |

Network

| | |
|------------------------------|----|
| <i>Enable public access:</i> | No |
|------------------------------|----|

Multicast

| | |
|---------------------------|---------|
| <i>Source IP address:</i> | 0.0.0.0 |
|---------------------------|---------|

Exhibit C

| Building Door Access Needs Assessment | | | | | | | | | | | | | | | | |
|---------------------------------------|--|----------------|----------------|-------------------|----------------|------------|-----------|------------------|----------------|-------------------|------------------|------------|----------|--------------|----------------|--------------|
| # | Building Name | Exterior Doors | | | Interior Doors | | | Interior Doors** | | | Interior Doors** | | | TSC-Occupied | UTRGV-Occupied | Not Occupied |
| | | Total Number | With Mag Locks | Needing Mag Locks | Ext. Door | Crash/Push | Sliding | Total Number | With Mag Locks | Needing Mag Locks | Key Door | Crash/Push | Sliding | | | |
| 1 | Fort Brown Memorial Center (JBA) | 19 | 0 | 19 | 4 | 15 | -- | 13 | 0 | 13 | 13 | -- | -- | 1 | | |
| 2 | TSC Performing Arts Center | 9 | 0 | 9 | -- | 9 | -- | 7 | 0 | 7 | 7 | -- | -- | 1 | | |
| 3 | Commandant's Quarters | 2 | 0 | 2 | 2 | -- | -- | 0 | 0 | 0 | -- | -- | -- | 1 | | |
| 4 | Champion Hall | 7 | 0 | 7 | 5 | 2 | -- | 0 | 0 | 0 | -- | -- | -- | 1 | | |
| 5 | Gorgas Hall | 12 | 0 | 12 | 8 | 4 | -- | 3 | 0 | 3 | 3 | -- | -- | 1 | | |
| 6 | Old Morgue | 6 | 0 | 6 | 6 | -- | -- | 0 | 0 | 0 | -- | -- | -- | | | 1 |
| 7 | Commissary Building | 5 | 0 | 5 | 1 | 4 | -- | 4 | 0 | 4 | 4 | -- | -- | 1 | | |
| 8 | Commissary Annex | 1 | 0 | 1 | 1 | -- | -- | 0 | 0 | 0 | -- | -- | -- | | | 1 |
| 9 | Regiment House | 2 | 0 | 2 | 2 | -- | -- | 0 | 0 | 0 | -- | -- | -- | 1 | | |
| 10 | Oliveira Student Services Center | 12 | 0 | 12 | 1 | 7 | 4 | 12 | 4 | 8 | 12 | -- | -- | 1 | | |
| 11 | Tandy Hall | 9 | 2 | 7 | 2 | 5 | 2 | 37 | 28 | 9 | 32 | 5 | -- | 1 | | |
| 12 | Lightner Center | 9 | 0 | 9 | 3 | 4 | 2 | 4 | 0 | 4 | 3 | 1 | -- | 1 | | |
| 13 | Music Building | 3 | 0 | 3 | -- | 3 | -- | 1 | 0 | 1 | 1 | -- | -- | | | 1 |
| 14 | Old Education Building | 3 | 0 | 3 | 1 | 2 | -- | 1 | 0 | 1 | 1 | -- | -- | | | 1 |
| 15 | Newman Center | 6 | 4 | 2 | 3 | 3 | -- | 14 | 1 | 13 | 14 | -- | -- | 1 | | |
| 16 | Eidman Hall (plus Annex) | 9 | 2 | 7 | 2 | 6 | 1 | 7 | 4 | 3 | 7 | -- | -- | | | 1 |
| 17 | Garza Gymnasium | 6 | 0 | 6 | 1 | 5 | -- | 0 | 0 | 0 | -- | -- | -- | 1 | | |
| 18 | Gymnasium Annex | 4 | 0 | 4 | -- | 4 | -- | 0 | 0 | 0 | -- | -- | -- | 1 | | |
| 19 | South Hall | 14 | 3 | 11 | 4 | 9 | 1 | 8 | 2 | 6 | 7 | 1 | -- | 1 | | |
| 20 | North Hall | 9 | 2 | 7 | 1 | 6 | 2 | 6 | 4 | 2 | 6 | -- | -- | 1 | | |
| 21 | Guerra Early Childhood Center | 7 | 0 | 7 | 3 | 4 | -- | 1 | 0 | 1 | 1 | -- | -- | 1 | | |
| 22 | M2 Building | 2 | 1 | 1 | -- | 2 | -- | 1 | 0 | 1 | 1 | -- | -- | | | 1 |
| 23 | M1 Building | 2 | 1 | 1 | 2 | -- | -- | 2 | 0 | 2 | 2 | -- | -- | | | 1 |
| 24 | Cortez Hall | 6 | 1 | 5 | -- | 6 | -- | 4 | 1 | 3 | 4 | -- | -- | | | 1 |
| 25 | Rusteberg Hall | 22 | 5 | 17 | 10 | 11 | 1 | 11 | 3 | 8 | 11 | -- | -- | | | 1 |
| 26 | Bookstore | 7 | 0 | 7 | -- | 7 | -- | 2 | 0 | 2 | 2 | -- | -- | | | 1 |
| 27 | Calvary Hall | 8 | 0 | 8 | 2 | 6 | -- | 4 | 0 | 4 | 4 | -- | -- | | | 1 |
| 28 | SETB (Science, Engineering & Technology) | 19 | 4 | 15 | 3 | 14 | 2 | 27 | 13 | 14 | 23 | 4 | -- | 1 | 1 | |
| 29 | SETB MO | 3 | 3 | 0 | -- | 3 | -- | 2 | 2 | 0 | 2 | -- | -- | 1 | | |
| 30 | SETB Lecture Hall | 5 | 0 | 7 | 1 | 5 | 1 | 2 | 0 | 2 | 2 | -- | -- | 1 | | |
| 31 | TSC Recreation Center | 24 | 5 | 19 | 5 | 16 | 3 | 18 | 13 | 5 | 14 | 4 | -- | 4 | | |
| 32 | Physical Plant and Central Receiving | 9 | 8 | 1 | 9 | -- | -- | 4 | 4 | 0 | 4 | -- | -- | 1 | | |
| 33 | Riverside Building | 5 | 3 | 2 | -- | 2 | -- | 0 | 0 | 0 | -- | 5 | -- | 1 | | |
| 34 | Center for Early Childhood Center | 28 | 0 | 28 | 4 | 24 | -- | 4 | 0 | 4 | 4 | -- | -- | 1 | | |
| 35 | Armory Building | 3 | 0 | 3 | 3 | -- | -- | 0 | 0 | 0 | -- | -- | -- | 1 | | |
| 36 | Thermal Plant | 3 | 0 | 3 | -- | 3 | -- | 1 | 0 | 1 | 1 | -- | -- | 1 | | |
| 37 | ITECC-Main Building | 74 | 2 | 72 | 34 | 38 | 2 | 23 | 17 | 6 | 18 | 5 | -- | 1 | | |
| 38 | ITECC-Auto Body | 5 | 0 | 5 | 3 | 2 | -- | 1 | 0 | 1 | 1 | -- | -- | 1 | | |
| 39 | ITECC-Auto Mechanics | 5 | 0 | 5 | 2 | 3 | -- | 1 | 0 | 1 | 1 | -- | -- | 1 | | |
| 40 | Totals | 386 | 46 | 340 | 128 | 234 | 21 | 225 | 96 | 129 | 205 | 25 | 0 | 31 | 7 | 5 |

Green-shaded= Priority #1
 Yellow-shaded= Priority #2

* Exterior doors that lead into building
 ** Interior doors that house sensitive data (technology, personally identifiable information, etc.)
 *** Includes biohazard rooms at SETB (3), ITECC (2)

Exhibit D

| TSC - FIRE ALARM SYSTEMS | | | | | | | | |
|--------------------------|--|---------------------|----------------|----------------------|----------------|------|----------------|-----------------|
| Building | Location | Fire panel Model | Control Panels | Manual Pull Stations | Signal Devices | | Heat Detectors | Smoke Detectors |
| | | | | | Visual | Horn | | |
| Art Center | By ticket booth & ADA Entrance facing J.B. | EST | 1 | 1 | 66 | 38 | 8 | 17 |
| Bookstore | Electrical room loading dock | Notifier / AFP200 | 1 | 6 | 22 | | 1 | 5 |
| CCD - Guerra | Hall by Kitchen | Notifier / 4812 | 1 | 7 | 14 | | | 1 |
| Campus Police | Dispatches office | Mircom FX-2000 | 1 | 6 | 11 | 13 | 1 | 20 |
| Cavalry | Mech. Rm. | Notifier / SGL-1000 | 1 | 2 | 1 | | | |
| Champion | 1st floor hallway | Notifier / BE-500 | 1 | 4 | 10 | | | 4 |
| Commissary Annex | 1st fl. Mech. Rm. | Notifier / 4885-1 | 1 | 4 | 1 | | | 5 |
| Commissary | Basement Mech. Rm | Simplex | 1 | 1 | 6 | 9 | 4 | 5 |
| Commandants | South hallway | Mircom FX-2000 | 1 | 4 | 5 | 9 | | 10 |
| Cortez Hall | Next to main restroom | Notifier / 4812 | 1 | 1 | 6 | 2 | | 8 |
| Early Childhood Studies | Main Lobby | Siemens FS-250 | 1 | 4 | 17 | 21 | 2 | 20 |
| Eidman | Elevator Mech. room | Notifier / BE-500 | 1 | 12 | 9 | | | 7 |
| FBMC | Mechanical rm. | Notifier / 4812 | 1 | 9 | 9 | 8 | | |
| Gym | Annex Storage rm. | Notifier / BE-500 | 1 | 11 | 12 | | 3 | 2 |
| Gorgas | VP office | Notifier / 5000 | 1 | 17 | 18 | | | 26 |
| ITECC -Autobody | Back hallway | EST FS-10046 | 1 | 10 | 17 | 4 | | |
| ITECC - Main Area | Security office | Edward EST 3 | 1 | 61 | 422 | 138 | 8 | 136 |
| Lightner Center | Loading dock mech.rm. | Notifier / SGL-4000 | 1 | 6 | 18 | 11 | | |
| M-0 | Kitchen main hall | Notifier / AFP200 | 1 | 13 | 12 | | 3 | 2 |
| M-1 | Main lobby | EST FS-502 | 1 | 4 | 20 | | 1 | 7 |
| M-2 | Rear Mechanical rm. | EST FS-502 | 1 | 5 | 6 | 2 | | 3 |
| MRC North | Main Entrance Facing passed | Notifier / 4812 | 1 | 14 | 26 | | 1 | 12 |
| MRC South | Main Entrance facing lawn | Notifier / 4800 | 1 | 15 | 21 | | 1 | 3 |
| Oliveira Library | Elevator room | Notifier / 5000 | 1 | 21 | 15 | | 10 | 4 |
| Old Morgue | Main Entrance | Notifier / BE-500 | 1 | 4 | 3 | | | 6 |
| Physical Plant | Hallway | Notifier / AFP-200 | 1 | 6 | 35 | | | 22 |
| REK | Main Lobby back Ent. | | 1 | 19 | 99 | 44 | 5 | 47 |
| SPI | Elec. Rm 2nd fl. | Notifier / SFP-2 | 1 | 3 | 3 | | | 3 |
| SET-8 | Communication Rm 1.237 | Notifier / AFP-400 | 1 | 25 | 5 | 59 | 14 | 27 |
| Tandy | Bus. Off. T107 | Notifier / BE-5000 | 1 | 12 | 22 | | 10 | 20 |

226
 Carlson DA

ALARM PANEL LOCATIONS

| BUILDING | LOCATION | MAGLOCK | DIALER | NOT MONITORED |
|-------------------|--|---------|--------|-------------------|
| ✓ Art Center | By ticket booth & ADA Entrance facing J.B. | | x | |
| ✓ Bookstore | ✓ Electrical room loading dock | x | | |
| ✓ CCD | Hall by Kitchen | x | | |
| ✓ Campus Police | Dispatches office | x | | |
| ✓ Cavalry | ✓ Mech. Rm. | x | | |
| ✓ Champion | 1st floor hallway | x | | |
| ✓ Commisary Annex | 1st fl. Mech. Rm. | | | x |
| ✓ Commisary | Basement Mech. Rm | x | | |
| ✓ Commandants | South hallway | | | x |
| ✓ Cortez Hall | Next to main restroom | x | | |
| Early Childhood | Main Lobby | | x | |
| ✓ Eidman | ✓ Elevator Mech. room | x | | |
| FBMC | Mechanical rm. | | | x |
| ✓ Gym | ✓ Annex Storage rm. | x | | |
| ✓ Gorgas | VP office | x | | |
| ITECC -Autobody | Back hallway | | | |
| ITECC - Main Area | Security office | x | | |
| ✓ Lightner Center | Loading dock mech.rm. | x | | |
| ✓ M-0 | ✓ Kitchen main hall | x | | |
| M-1 | Main lobby | x | | |
| ✓ M-2 | ✓ Rear Mechanical rm. | | | |
| MRC North | Main Entrance Facing paseo | x | | |
| MRC South | Main Entrance facing lawn | x | | |
| Oliveria Library | Elevator room | x | | |
| ✓ Old Morgue | Main Entrance | x | | <i>Fire Alarm</i> |
| ✓ Physical Plant | Hallway | x | | |
| REK | Main Lobby back Ent. | x | | |
| SPI | Elec. Rm 2nd fl. | | | x |
| SET-B | Communication Rm 1.237 | x | | |
| ✓ Tandy | Bus. Offi. T107 | x | | |

Hardware Map

Access It! Universal

| Name | Address | Model | Connection Details |
|--|----------|-----------|--|
| Champion Hall Bldg Cntrl | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.59 Port Number: 3001 |
| Champion Hall Fire System | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| zChampion Hall Fire System - Reader 1 | Reader 1 | | |
| zChampion Hall Fire System - Reader 2 | Reader 2 | | |
| Champion Hall Fire System - Input 5 | Input 5 | | |
| Champion Hall Fire System - Input 6 | Input 6 | | |
| Champion Hall Fire System - Input 7 | Input 7 | | |
| Fire Alarm - Champion Hall | Input 8 | | |
| Champion Hall Fire System - Output 2 | Output 2 | | |
| Champion Hall Fire System - Output 4 | Output 4 | | |
| Champion Hall Fire System - Output 5 | Output 5 | | |
| Champion Hall Fire System - Output 6 | Output 6 | | |
| Commissary Bldg Cntrl | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.56 Port Number: 3001 |
| Commissary Fire System | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| zArt Fire System - Reader 1 | Reader 1 | | |
| zArt Fire System - Reader 2 | Reader 2 | | |
| Art Fire System - Input 5 | Input 5 | | |
| Art Fire System - Input 6 | Input 6 | | |
| Art Fire System - Input 7 | Input 7 | | |
| Fire Alarm - Art Building | Input 8 | | |
| Art Fire System - Output 2 | Output 2 | | |
| Art Fire System - Output 4 | Output 4 | | |
| Art Fire System - Output 5 | Output 5 | | |
| Art Fire System - Output 6 | Output 6 | | |
| Day Care Bldg Cntrl | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.78 Port Number: 3001 |
| Day Care Fire System | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| zDay Care Fire System - Reader 1 | Reader 1 | | |
| zDay Care Fire System - Reader 2 | Reader 2 | | |
| Day Care Fire System - Input 5 | Input 5 | | |
| Day Care Fire System - Input 6 | Input 6 | | |
| Day Care Fire System - Input 7 | Input 7 | | |
| Fire Alarm - Day Care | Input 8 | | |
| Day Care Fire System - Output 2 | Output 2 | | |
| Day Care Fire System - Output 4 | Output 4 | | |
| Day Care Fire System - Output 5 | Output 5 | | |
| Day Care Fire System - Output 6 | Output 6 | | |
| Gorgas Presidents Office Bldg Cntrl | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.77 Port Number: 3001 |
| Presidential Fire System | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| zSCP 021 - SIO 00 - Reader 1 | Reader 1 | | |

| Name | Address | Model | Connection Details |
|--|----------|----------|--|
| zSCP 021 - SIO 00 - Reader 2 | Reader 2 | | |
| Fire Alarm - Gorgas Hall Presidential Office | Input 8 | | |
| SCP 021 - SIO 00 - Input 5 | Input 5 | | |
| SCP 021 - SIO 00 - Input 6 | Input 6 | | |
| SCP 021 - SIO 00 - Input 7 | Input 7 | | |
| SCP 021 - SIO 00 - Output 2 | Output 2 | | |
| SCP 021 - SIO 00 - Output 4 | Output 4 | | |
| SCP 021 - SIO 00 - Output 5 | Output 5 | | |
| SCP 021 - SIO 00 - Output 6 | Output 6 | | |
| ITECH Incubator Bldg Cntrl | 0 | SCPe 1Mb | IP Server - IP Address: 10.20.2.62 Port Number: 3001 |
| ITECH Incubator Room 226 Dr 1 | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 226 Dr 1 | Reader 1 | | |
| zSCP 005 - SIO 00 - Output 02 | Output 2 | | |
| ITECH Incubator Room 229 Dr 2 | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 228 Dr 2 | Reader 1 | | |
| zSCP 005 - SIO 01 - Output 02 | Output 2 | | |
| ITECH Incubator Room 230 Dr 3 | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 230 Dr 3 | Reader 1 | | |
| zSCP 005 - SIO 02 - Output 02 | Output 2 | | |
| ITECH Incubator Room 231 Dr 4 | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 231 Dr 4 | Reader 1 | | |
| zSCP 005 - SIO 03 - Output 02 | Output 2 | | |
| ITECH Incubator Room 232 Dr 5 | 4 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 232 Dr 5 | Reader 1 | | |
| zSCP 005 - SIO 04 - Output 02 | Output 2 | | |
| ITECH Incubator Room 234 Dr 6 | 5 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 234 Dr 6 | Reader 1 | | |
| zSCP 005 - SIO 05 - Output 02 | Output 2 | | |
| ITECH Incubator Room 233 Dr 7 | 6 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 223 Dr 7 | Reader 1 | | |
| zSCP 005 - SIO 06 - Output 02 | Output 2 | | |
| ITECH Incubator Room 200 Dr 8 | 7 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Front Main Lobby Dr 200/ 8 | Reader 1 | | |
| zSCP 005 - SIO 07 - Output 02 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-------|-----------------------------------|
| ITECH Incubator Room 212, 213 Dr 9, 10 | 8 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 212 Dr 9 | Reader 1 | | |
| ITECH Incubator Room 213 Dr 10 | Reader 2 | | |
| Fire Alarm - ITEC Incubator | Input 5 | | |
| Fire Supervisory - ITEC Incubator | Input 6 | | |
| zSCP 005 - SIO 08 - Input 07 | Input 7 | | |
| zSCP 005 - SIO 08 - Input 08 | Input 8 | | |
| zSCP 005 - SIO 08 - Output 02 | Output 2 | | |
| zSCP 005 - SIO 08 - Output 04 | Output 4 | | |
| zSCP 005 - SIO 08 - Output 05 | Output 5 | | |
| zSCP 005 - SIO 08 - Output 06 | Output 6 | | |
| ITECH Incubator Room 220A Dr 11 | 9 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 220A Mech Dr 11 | Reader 1 | | |
| zSCP 005 - SIO 09 - Output 02 | Output 2 | | |
| ITECH Incubator Room 222 Dr 12 | 10 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 222 Dr 12 | Reader 1 | | |
| zSCP 005 - SIO 10 - Output 02 | Output 2 | | |
| ITECH Incubator Room 220 Dr 13 | 11 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room G121 | Reader 1 | | |
| zSCP 005 - SIO 11 - Output 02 | Output 2 | | |
| ITECH Incubator Storage Dr 14 | 12 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Loading Dock Dr 19 | Reader 1 | | |
| zSCP 005 - SIO 12 - Output 02 | Output 2 | | |
| ITECH Incubator Room 216 Dr 15 | 13 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Room 215 Dr 15 | Reader 1 | | |
| zSCP 005 - SIO 13 - Output 02 | Output 2 | | |
| ITECH Incubator Docks Dbl door Dr 16 | 14 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Docks Dbl door 216/Dr 16 | Reader 1 | | |
| zSCP 005 - SIO 14 - Output 02 | Output 2 | | |
| ITECH Incubator After Hours Exit Dr 17 | 15 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator After Hours Exit Dr 17 | Reader 1 | | |
| zSCP 005 - SIO 15 - Output 02 | Output 2 | | |
| ITECH Incubator Rear Mall Entrance Dr 18 | 16 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH Incubator Rear Mall Entrance Dr H140 | Reader 1 | | |
| zSCP 005 - SIO 16 - Output 02 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|----------|--|
| ITECH Incubator Loading Dock, Fire Pumps Drs 19,20 | 17 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| ITECH American Customer Care | Reader 2 | | |
| ITECH Incubator Phy. Plant Tool Rm. Dr 14 | Reader 1 | | |
| ITECH Incubator Dr 20 Fire Pump Room | Input 5 | | |
| zSCP 005 - SIO 17 - Input 06 | Input 6 | | |
| zSCP 005 - SIO 17 - Input 07 | Input 7 | | |
| zSCP 005 - SIO 17 - Input 08 | Input 8 | | |
| zSCP 005 - SIO 17 - Output 02 | Output 2 | | |
| zSCP 005 - SIO 17 - Output 04 | Output 4 | | |
| zSCP 005 - SIO 17 - Output 05 | Output 5 | | |
| zSCP 005 - SIO 17 - Output 06 | Output 6 | | |
| Library Bldg Cntrl | 0 | SCPe 1Mb | IP Server - IP Address: 10.20.2.63 Port Number: 3001 |
| Library Information Resources Main | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Library 236 Info Resources Main | Reader 1 | | |
| Library SCP 004 - SIO 00 - Reader 2 UNUSED | Reader 2 | | |
| Fire Alarm - Library | Input 5 | | |
| Library Information Resources Motion 1 Entrance | Input 8 | | |
| Library Information Resources Motion 2 Server Room | Input 7 | | |
| Library Information Resources Motion 3 Ceiling | Input 6 | | |
| zSCP 004 - SIO 00 - Output 02 | Output 2 | | |
| zSCP 004 - SIO 00 - Output 04 | Output 4 | | |
| zSCP 004 - SIO 00 - Output 05 | Output 5 | | |
| zSCP 004 - SIO 00 - Output 06 | Output 6 | | |
| Library Room 206 | 1 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| Library 206 MECHANICAL RM | Reader 1 | | |
| SCP 004 - SIO 01 - Output 02 | Output 2 | | |
| Library Room 205 | 2 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| Library 205 | Reader 1 | | |
| SCP 004 - SIO 02 - Output 02 | Output 2 | | |
| Library Room 109/110B | 3 | MR-52 | Channel (IN): 3, Channel (OUT): 3 |
| Library 109 Mechanical Room | Reader 1 | | |
| Library 110B Benito Longoria | Reader 2 | | |
| Library Fire Door stair well north | Input 5 | | |
| Oliveira library Fire Alarm | Input 8 | | |
| SCP 004 - SIO 03 - Input 6 | Input 6 | | |
| SCP 004 - SIO 03 - Input 7 | Input 7 | | |
| SCP 004 - SIO 03 - Output 02 | Output 2 | | |
| SCP 004 - SIO 03 - Output 4 | Output 4 | | |
| SCP 004 - SIO 03 - Output 5 | Output 5 | | |

| Name | Address | Model | Connection Details |
|--|----------|-----------|--|
| Library Room 115A | 4 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| Library 115A Mech Rm. | Reader 1 | | |
| Library Room 115A - Output 2 | Output 2 | | |
| Library Room After Hours Entry | 5 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| Library Room After Hours Entry -facing parking lot | Reader 1 | | |
| SCP 004 - SIO 05 - Output 02 | Output 2 | | |
| Fire Door Operator Input | 6 | MR16-IN | Channel (IN): 3, Channel (OUT): 3 |
| Library Fire Door 11 | Input 4 | | |
| Library Fire Door 110 | Input 9 | | |
| Library Fire Door 1A | Input 2 | | |
| Library Fire Door 22 | Input 3 | | |
| Library Fire Door 2A | Input 1 | | |
| Library Fire Door north east facing student | Input 10 | | |
| Library Fire Door north west door facing student | Input 8 | | |
| Library Fire Door south facing parkinglot | Input 5 | | |
| Library Fire Door South north door | Input 6 | | |
| Library Fire Door West North double doors | Input 7 | | |
| SCP 004 - SIO 06 - Input 11 | Input 11 | | |
| SCP 004 - SIO 06 - Input 12 | Input 12 | | |
| SCP 004 - SIO 06 - Input 13 | Input 13 | | |
| SCP 004 - SIO 06 - Input 14 | Input 14 | | |
| SCP 004 - SIO 06 - Input 15 | Input 15 | | |
| SCP 004 - SIO 06 - Input 16 | Input 16 | | |
| SCP 004 - SIO 06 - Output 01 | Output 1 | | |
| SCP 004 - SIO 06 - Output 02 | Output 2 | | |
| M1 Bldg | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.64 Port Number: 3001 |
| M1 Bldg | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| M1 Bldg Front Door | Reader 1 | | |
| M1 Bldg Side Door | Reader 2 | | |
| M1 Bldg 213 Egress | Input 6 | | |
| M1 Bldg 213 Status | Input 5 | | |
| M1 Bldg 214 Egress | Input 8 | | |
| M1 Bldg 214 Status | Input 7 | | |
| M1 Bldg 213 Lab | Output 5 | | |
| M1 Bldg 214 Lab | Output 6 | | |
| M1 Bldg Front Door | Output 2 | | |
| M1 Bldg Side Door | Output 4 | | |
| M1 Bldg 1 | 1 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |

| Name | Address | Model | Connection Details |
|-------------------------------|----------|-----------|--|
| M1 Bldg 1 - NOT USED | Reader 1 | | |
| M1 Bldg 1 -NOT USED | Reader 2 | | |
| Fire Alarm - M1 Bldg 1 | Input 8 | | |
| M1 Bldg 1 - Input 5 | Input 5 | | |
| M1 Bldg 1 - Input 6 | Input 6 | | |
| M1 Bldg 1 - Input 7 | Input 7 | | |
| M1 Bldg 1 - Output 2 | Output 2 | | |
| M1 Bldg 1 - Output 4 | Output 4 | | |
| M1 Bldg 1 - Output 5 | Output 5 | | |
| M1 Bldg 1 - Output 6 | Output 6 | | |
| Newman Bldg | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.66 Port Number: 3001 |
| Newman Lobby | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Lobby | Reader 1 | | |
| Lobby-Output 2 | Output 2 | | |
| Newman Dispatch | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Dispatch | Reader 1 | | |
| Dispatch-Output 2 | Output 2 | | |
| Newman Storage Room | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Storage Room | Reader 1 | | |
| Newman Storage Room-Output 2 | Output 2 | | |
| Newman Cashier | 4 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Cashier | Reader 1 | | |
| Newman Cashier-Output 2 | Output 2 | | |
| Newman Chiefs Office | 5 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Chiefs Office | Reader 1 | | |
| Newman Chiefs Office-Output 2 | Output 2 | | |
| Newman Evidence Room | 6 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Evidence Room | Reader 1 | | |
| Newman Evidence Room-Output 2 | Output 2 | | |
| Newman Records | 7 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Records | Reader 1 | | |
| Newman Records-Output 2 | Output 2 | | |
| Newman Rear Exit | 8 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Rear Entrance In | Reader 1 | | |
| Newman Rear Entrance Out | Reader 2 | | |
| Fire Alarm - Newman | Input 5 | | |
| Newman Rear Entrance Input 2 | Input 2 | | |

| Name | Address | Model | Connection Details |
|------------------------------------|----------|-------|-----------------------------------|
| Newman Rear Entrance-Input 8 | Input 8 | | |
| Newman Rear Entrance-Output 2 | Output 2 | | |
| Newman Rear Entrance-Output 4 | Output 4 | | |
| Newman Rear Entrance-Output 5 | Output 5 | | |
| Newman Rear Entrance-Output 6 | Output 6 | | |
| Newman Hallway 2 | 9 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Hallway 2 In | Reader 1 | | |
| Newman Hallway 2 Out | Reader 2 | | |
| Newman Emergency Exit Door Status | Input 6 | | |
| Newman Processing-Input 7 | Input 7 | | |
| Newman Processing-Input 8 | Input 8 | | |
| Newman Request to Exit | Input 5 | | |
| Newman Processing-Output 2 | Output 2 | | |
| Newman Processing-Output 5 | Output 5 | | |
| Newman Processing-Output 6 | Output 6 | | |
| Newman Ridgely Emergency Exit | Output 4 | | |
| Newman Communicatios Room | 11 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Communicatios Room | Reader 1 | | |
| Newman Communicatios Room-Output 2 | Output 2 | | |
| Newman Dataroom | 12 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Dataroom | Reader 1 | | |
| Newman Dataroom-Output 2 | Output 2 | | |
| Newman Front Door | 14 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Front Door | Reader 1 | | |
| Newman Main Entrance-Output 2 | Output 2 | | |
| Newman Hallway 1 | 15 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Newman Hallway 1 In | Reader 1 | | |
| Newman Hallway 1 Out | Reader 2 | | |
| Newman Hallway 1-Input 5 | Input 5 | | |
| Newman Hallway 1-Input 6 | Input 6 | | |
| Newman Hallway 1-Input 7 | Input 7 | | |
| Newman Hallway 1-Input 8 | Input 8 | | |
| Newman Hallway 1-Output 2 | Output 2 | | |
| Newman Hallway 1-Output 4 | Output 4 | | |
| Newman Hallway 1-Output 5 | Output 5 | | |
| Newman Hallway 1-Output 6 | Output 6 | | |
| Newman Processing Room | 16 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |

| Name | Address | Model | Connection Details |
|--|----------|-----------|--|
| Newman Processing Room In | Reader 1 | | |
| Newman Processing Room Out | Reader 2 | | |
| Newman Test-Input 5 | Input 5 | | |
| Newman Test-Input 6 | Input 6 | | |
| Newman Test-Input 7 | Input 7 | | |
| Newman Test-Input 8 | Input 8 | | |
| Newman Test-Output 2 | Output 2 | | |
| Newman Test-Output 4 | Output 4 | | |
| Newman Test-Output 5 | Output 5 | | |
| Newman Test-Output 6 | Output 6 | | |
| Newtek | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.67 Port Number: 3001 |
| Newtek Main Entrance | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Newtek Main Entrance | Reader 1 | | |
| Newtek Room 204 | Reader 2 | | |
| Fire Alarm - Newtek Main Entrance | Input 8 | | |
| Newtek Main Entrance-Input 5 | Input 5 | | |
| Newtek Main Entrance-Input 6 | Input 6 | | |
| Newtek Main Entrance-Input 7 | Input 7 | | |
| Newtek Main Entrance-Output 2 | Output 2 | | |
| Newtek Main Entrance-Output 4 | Output 4 | | |
| Newtek Main Entrance-Output 5 | Output 5 | | |
| Newtek Main Entrance-Output 6 | Output 6 | | |
| SCP 030 - SIO 01 | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newtek Com. Room | Reader 1 | | |
| SCP 030 - SIO 01-Output 2 | Output 2 | | |
| SCP 030 - SIO 02 | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newtek Side Entrance | Reader 1 | | |
| SCP 030 - SIO 02-Output 2 | Output 2 | | |
| SCP 030 - SIO 03 | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Newtek Rear Door | Reader 1 | | |
| SCP 030 - SIO 03-Output 2 | Output 2 | | |
| North Hall Cntrl | 0 | SCPe 1Mb | IP Server - IP Address: 10.20.2.68 Port Number: 3001 |
| North Hall Court Yard Sliding Dr | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall Sliding Dr facing parking lot V (1) | Reader 1 | | |
| zSCP 006 - SIO 00 - Output 02 | Output 2 | | |
| North Hall Offices Front | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall After Hours Door Front (2) | Reader 1 | | |
| zSCP 006 - SIO 01 - Output 02 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-----------|--|
| North Hall South East Entry | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall South East Entry (3) | Reader 1 | | |
| zSCP 006 - SIO 02 - Output 02 | Output 2 | | |
| North Hall Rear Sliding Dr | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall Sliding Dr facing fountain (4) | Reader 1 | | |
| zSCP 006 - SIO 03 - Output 02 | Output 2 | | |
| North Hall North East Entry | 4 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall North East Entry (5) | Reader 1 | | |
| zSCP 006 - SIO 04 - Output 02 | Output 2 | | |
| North Hall Mech Rm 115 | 5 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall 115 Mech Rm (6) | Reader 1 | | |
| zSCP 006 - SIO 05 - Output 02 | Output 2 | | |
| North Hall Mech Rm 117/Lan Rm 111E | 6 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall 111E Lan/Elec Rm (8) | Reader 2 | | |
| North Hall 117 Mech Rm (7) | Reader 1 | | |
| Fire Alarm - North Hall | Input 7 | | |
| North Hall Mech Rm 117 Rear Status (7A) | Input 5 | | |
| North Hall Mech Rm Door 9 (9) | Input 6 | | |
| zSCP 006 - SIO 06 - Input 08 | Input 8 | | |
| zSCP 006 - SIO 06 - Output 02 | Output 2 | | |
| zSCP 006 - SIO 06 - Output 04 | Output 4 | | |
| zSCP 006 - SIO 06 - Output 05 | Output 5 | | |
| zSCP 006 - SIO 06 - Output 06 | Output 6 | | |
| North Hall South West Walkway | 7 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall South West Walkway (11) | Reader 1 | | |
| zSCP 006 - SIO 07 - Output 02 | Output 2 | | |
| North Hall North West Walkway | 8 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall North West Walkway (10) | Reader 1 | | |
| zSCP 006 - SIO 08 - Output 02 | Output 2 | | |
| North Hall Rm 103 | 9 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| North Hall Annex 103 main door | Reader 1 | | |
| SCP 002 - SIO 09 - Output 2 | Output 2 | | |
| Old Morgue Bldg Cntrl | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.80 Port Number: 3001 |
| Old Morgue Fire System | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| zOld Morgue Fire System - Reader 1 | Reader 1 | | |
| zOld Morgue Fire System - Reader 2 | Reader 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|---------|--|
| Old Morgue Fire System - Input 6 | Input 6 | | |
| Old Morgue Fire System - Input 7 | Input 7 | | |
| Old Morgue Fire System - Output 2 | Output 2 | | |
| Old Morgue Fire System - Output 4 | Output 4 | | |
| Old Morgue Fire System - Output 5 | Output 5 | | |
| Old Morgue Fire System - Output 6 | Output 6 | | |
| Physical Plant Bldg Cntrl | 0 | EP-1502 | IP Server - IP Address: 10.20.2.69 Port Number: 3001 |
| SCP 022 - SIO 00 | 0 | EP-1502 | |
| zzzzPhysical Plant 107 Mechanic | Reader 2 | | |
| zzzzzzzzzzzzzzzzzzzzPhysical Plant 108 Storage Garage | Reader 1 | | |
| Fire Alarm - Physical Plant | Input 8 | | |
| Physical Plant OH3 | Input 5 | | |
| Physical Plant OH4 | Input 6 | | |
| Physical Plant OH5 | Input 7 | | |
| Physical Plant 107/108 - Output 2 | Output 2 | | |
| Physical Plant 107/108 - Output 4 | Output 4 | | |
| Physical Plant Main Entrance | 1 | MR-50 | |
| Physical Plant Main Entrance | Reader 1 | | |
| Physical Plant Main Entrance - Output 2 | Output 2 | | |
| Physical Plant 116 Central Rec | 2 | MR-50 | |
| Central Receiving to Physical Plant 116 | Reader 1 | | |
| Physical Plant 116 Central Rec - Output 2 | Output 2 | | |
| Physical Plant 113 Rear Emer. | 3 | MR-50 | |
| Physical Plant 113 Rear Emer | Reader 1 | | |
| Physical Plant 113 Rear Emer. - Output 2 | Output 2 | | |
| Physical Plant 102 Emer. Exit | 4 | MR-50 | |
| Physical Plant Accounting Entrance | Reader 1 | | |
| Physical Plant 102 Emer. Exit - Output 2 | Output 2 | | |
| Physical Plant 105 Comm. Room | 5 | MR-50 | |
| Physical Plant 105 Comm. Room | Reader 1 | | |
| Physical Plant 105 Comm. Room - Output 2 | Output 2 | | |
| Physical Plant Rear Exit | 6 | MR-50 | |
| Physical Plant Rear Exit | Reader 1 | | |
| Physical Plant Rear Exit - Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-------|--------------------|
| Env. Health & Safety Rm111 | 7 | MR-50 | |
| Env. Health & Safety Rear Rm111 | Reader 1 | | |
| Env. Health & Safety Rm111 - Output 2 | Output 2 | | |
| Env. Health & Safety Rm100 | 8 | MR-50 | |
| Physical Plant Tool Room 100 | Reader 1 | | |
| Env. Health & Safety Rm100 - Output 2 | Output 2 | | |
| Env. Health & Safety Rm115A Comm. Rm | 9 | MR-50 | |
| Env. Health & Safety Rm115A Comm. Rm | Reader 1 | | |
| Env. Health & Safety Rm115A Comm. Rm - Output 2 | Output 2 | | |
| Cen. Rec.Rm114/113 | 10 | MR-52 | |
| Central Receiving Mail Room 113 | Reader 2 | | |
| Central Receiving Main Entry Door Rm114 | Reader 1 | | |
| Cen. Rec.Rm 113 N. Door Open | Input 5 | | |
| Cen. Rec.Rm114 E. OH Door Open | Input 7 | | |
| Cen. Rec.Rm114 N. OH Door Open | Input 6 | | |
| Cen. Rec.Rm114/113 Door Open | Input 8 | | |
| Cen. Rec.Rm114/113 - Output 2 | Output 2 | | |
| Cen. Rec.Rm114/113 - Output 4 | Output 4 | | |
| Cen. Rec.Rm114/113 - Output 5 | Output 5 | | |
| Cen. Rec.Rm114/113 - Output 6 | Output 6 | | |
| Physical Plant Keyroom | 11 | MR-50 | |
| Physical Plant Keyroom Reader | Reader 1 | | |
| Physical Plant Keyroom - Output 2 | Output 2 | | |
| Physical Plant Storageroom | 12 | MR-50 | |
| Physical Plant Storageroom | Reader 1 | | |
| Physical Plant Storageroom - Output 2 | Output 2 | | |
| Physical Plant Accounting Door | 13 | MR-50 | |
| Physical Plant Accounting Door | Reader 1 | | |
| Physical Plant Accounting Door-Output 2 | Output 2 | | |
| Physical Plant 107/108 11 | 14 | MR-52 | |
| Physical Plant 107 Mechanic | Reader 2 | | |
| Physical Plant 108 Storage Garage | Reader 1 | | |
| Physical Plant 107/108 11-Input 5 | Input 5 | | |
| Physical Plant 107/108 11-Input 6 | Input 6 | | |
| Physical Plant 107/108 11-Input 7 | Input 7 | | |
| Physical Plant 107/108 11-Input 8 | Input 8 | | |
| Physical Plant 107/108 11-Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-----------|--|
| Physical Plant 107/108 11-Output 4 | Output 4 | | |
| Physical Plant 107/108 11-Output 5 | Output 5 | | |
| Physical Plant 107/108 11-Output 6 | Output 6 | | |
| REKC Electr. Rm 1.404C Gym Side | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.52 Port Number: 3001 |
| REKC Baseball Field 1.404B | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC 1.404B Baseball Field | Reader 1 | | |
| REKC Baseball Field 1.404B-Output 2 | Output 2 | | |
| REKC 1.1404BB Outside Enclosed Area | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Outside Enclosed Area | Reader 1 | | |
| REKC Outside Enclosed Area-Output 2 | Output 2 | | |
| REKC Maint. Rm 1.400 Hallway Double Door | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC 1.400 Maint. Rm Hallway Double Door | Reader 1 | | |
| REKC Maint. Rm 1.400 Hallway Double Door-Output 2 | Output 2 | | |
| REKC Electrical Room 1.404C | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC 1.404C Electrical Rm | Reader 1 | | |
| REKC Electrical Room 1.404C-Output 2 | Output 2 | | |
| REKC Mech. Rm 1.404BA | 4 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| REKC 1.404 Mech. Rm BA Reader 1 | Reader 1 | | |
| REKC 1.404 Mech. Rm BA-Reader 2 | Reader 2 | | |
| REKC 1.402A Wet Classroom | Input 5 | | |
| REKC 1.402B Wet Classroom | Input 6 | | |
| REKC Gym Middle Double Doors Exit | Input 7 | | |
| REKC Mech. Rm 1.404BA-Input 8 | Input 8 | | |
| REKC Mech. Rm 1.404BA-Output 2 | Output 2 | | |
| REKC Mech. Rm 1.404BA-Output 4 | Output 4 | | |
| REKC Mech. Rm 1.404BA-Output 5 | Output 5 | | |
| REKC Mech. Rm 1.404BA-Output 6 | Output 6 | | |
| REKC Gym Double Door Southwest | 5 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Gym Double Door Southwest | Reader 1 | | |
| REKC Gym Double Door Southwest-Output 2 | Output 2 | | |
| REKC Gym Tall East Double Doors | 6 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Gym Tall East Double Doors | Reader 1 | | |
| REKC Gym Tall East Double Doors-Output 2 | Output 2 | | |
| REKC Mech Rm. 2.616 Ken. Side | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.53 Port Number: 3001 |
| REKC Kinesiology Mech.Rm.2.616 | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |

| Name | Address | Model | Connection Details |
|---|----------|-----------|--|
| REKC Kinesiology 2.616 Mech.Rm. | Reader 1 | | |
| REKC Kinesiology Mech.Rm.2.616-Output 2 | Output 2 | | |
| REKC Kinesiology Comm.Rm. 2.608 | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology 2.608 Comm.Rm | Reader 1 | | |
| REKC Kinesiology Comm.Rm. 2.608-Output 2 | Output 2 | | |
| REKC Kinesiology 2.632 Rear | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology 2.632 Rear | Reader 1 | | |
| REKC Kin.Motor Developement Rear 2.632-Output 2 | Output 2 | | |
| REKC Kinesiology 2.632 Front | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology 2.632 Front | Reader 1 | | |
| REKC Kinesiology 2.632 Front-Output 2 | Output 2 | | |
| REKC Kinesiology 2.606 | 4 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology 2.606 Front | Reader 2 | | |
| REKC Kinesiology 2.606 Rear | Reader 1 | | |
| REKC Kinesiology 2.6306 Rear-Input 5 | Input 5 | | |
| REKC Kinesiology 2.6306 Rear-Input 6 | Input 6 | | |
| REKC Kinesiology 2.6306 Rear-Input 7 | Input 7 | | |
| REKC Kinesiology 2.6306 Rear-Input 8 | Input 8 | | |
| REKC Kinesiology 2.6306 Rear-Output 2 | Output 2 | | |
| REKC Kinesiology 2.6306 Rear-Output 4 | Output 4 | | |
| REKC Kinesiology 2.6306 Rear-Output 5 | Output 5 | | |
| REKC Kinesiology 2.6306 Rear-Output 6 | Output 6 | | |
| REKC Mech. Rm 2.302 Gym Side | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.54 Port Number: 3001 |
| REKC Gym Mech. Rm. 2.302 | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Gym 2.302 Mech. Rm | Reader 2 | | |
| REKC Gym 2.302A Mech. Rm. | Reader 1 | | |
| REKC Gym Mech. Rm. 2.302-Input 5 | Input 5 | | |
| REKC Gym Mech. Rm. 2.302-Input 6 | Input 6 | | |
| REKC Gym Mech. Rm. 2.302-Input 7 | Input 7 | | |
| REKC Gym Mech. Rm. 2.302-Input 8 | Input 8 | | |
| REKC Gym Mech. Rm. 2.302-Output 2 | Output 2 | | |
| REKC Gym Mech. Rm. 2.302-Output 4 | Output 4 | | |
| REKC Gym Mech. Rm. 2.302-Output 5 | Output 5 | | |
| REKC Gym Mech. Rm. 2.302-Output 6 | Output 6 | | |
| REKC Gym Comm.Rm. 2.202 | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Gym 2.202 Comm.Rm | Reader 1 | | |
| REKC Gym Comm.Rm. 2.202-Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-----------|--|
| REKC Gym Door Status | 5 | MR16-IN | Channel (IN): 2, Channel (OUT): 2 |
| REKC Exit Double Doors by Firealarm Panel | Input 15 | | |
| REKC Family Changing 1.306A | Input 11 | | |
| REKC Firealarm | Input 1 | | |
| REKC Gym Door Status-Input 2 | Input 2 | | |
| REKC Gym Door Status-Input 3 | Input 3 | | |
| REKC Gym Door Status-Input 4 | Input 4 | | |
| REKC Gym Door Status-Input 5 | Input 5 | | |
| REKC Gym Door Status-Input 6 | Input 6 | | |
| REKC Gym Door Status-Input 7 | Input 7 | | |
| REKC Gym Door Status-Input 8 | Input 8 | | |
| REKC Mens Shower 1.308C | Input 9 | | |
| REKC Multipurpose Rm. 1.202A | Input 16 | | |
| REKC Northside Stairs 1.5S2 | Input 14 | | |
| REKC Pool Storage 1.002 | Input 13 | | |
| REKC Safety Center 1.004 | Input 10 | | |
| REKC Womens Shower 1.302C | Input 12 | | |
| REKC Gym Door Status-Output 1 | Output 1 | | |
| REKC Gym Door Status-Output 2 | Output 2 | | |
| REKC Mech. Rm.1.528 Ken. Side | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.55 Port Number: 3001 |
| REKC Gym Main Entrance | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Gym Main Entrance | Reader 1 | | |
| REKC Gym Main Entrance -Output 2 | Output 2 | | |
| REKC Kinesiology Main Entrance | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology Main Entrance | Reader 1 | | |
| REKC Kinesiology Main Entrance-Output 2 | Output 2 | | |
| REKC Mech. Rm 1.528 Single Door | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC 1.528 Mech. Rm Single Door | Reader 1 | | |
| REKC Mech. Rm 1.528 Single Door-Output 2 | Output 2 | | |
| REKC Gym Double Door Westside Entrance | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Gym Double Door Westside Entrance | Reader 1 | | |
| REKC Gym Double Door Westside Entrance-Output 2 | Output 2 | | |
| REKC MR52 | 4 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| REKC MR52-Reader 1 | Reader 1 | | |
| REKC MR52-Reader 2 | Reader 2 | | |
| REKC Hallway Outside Door | Input 6 | | |
| REKC MR52-Input 7 | Input 7 | | |
| REKC MR52-Input 8 | Input 8 | | |
| REKC Multi Purpose Rm Outside Door | Input 5 | | |

| Name | Address | Model | Connection Details |
|---|----------|---------|--|
| REKC MR52-Output 5 | Output 5 | | |
| REKC MR52-Output 6 | Output 6 | | |
| REKC Kinesiology Electrical Rm 1.506 | 5 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology 1.506 Electrical Rm | Reader 1 | | |
| REKC Kinesiology Electrical Rm 1.506-Output 2 | Output 2 | | |
| REKC Kinesiology Machine Rm 1.514 | 6 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC Kinesiology 1.514 Machine Rm | Reader 1 | | |
| REKC Kinesiology Machine Rm 1.514-Output 2 | Output 2 | | |
| REKC Mech.Rm 1.528 Double Doors | 7 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| REKC 1.528 Mech.Rm Double Doors | Reader 1 | | |
| REKC Mech.Rm 1.528 Double Doors-Output 2 | Output 2 | | |
| SET B 3rd Floor | 0 | EP-1502 | IP Server - IP Address: 10.20.2.72 Port Number: 3001 |
| SETB 3rd Floor | 0 | EP-1502 | |
| SET B 3rd Floor | Reader 1 | | |
| SET B 3rd Floor 2 | Reader 2 | | |
| Panic SETB CSMT Deans Office | Input 8 | | |
| Panic SETB CSMT SecretarY Desk | Input 7 | | |
| SCP 048 - SIO 00-Input 5 | Input 5 | | |
| SCP 048 - SIO 00-Input 6 | Input 6 | | |
| Handi cap break Setb 3rd floor | Output 4 | | |
| SCP 048 - SIO 00-Output 2 | Output 2 | | |
| SCP 048 - SIO 01 | 1 | MR-50 | |
| SET B 2.408 | Reader 1 | | |
| SCP 048 - SIO 01-Output 2 | Output 2 | | |
| SCP 048 - SIO 02 | 2 | MR-50 | |
| SET B 2.448 | Reader 1 | | |
| SCP 048 - SIO 02-Output 2 | Output 2 | | |
| SCP 048 - SIO 03 | 3 | MR-50 | |
| SET B 2.436 | Reader 1 | | |
| SCP 048 - SIO 03-Output 2 | Output 2 | | |
| SCP 048 - SIO 04 | 4 | MR-50 | |
| SET B 2.424 | Reader 1 | | |
| SCP 048 - SIO 04-Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---------------------------------|----------|-------|--------------------|
| SCP 048 - SIO 05 | 5 | MR-50 | |
| SET B 2.460A | Reader 1 | | |
| SCP 048 - SIO 05-Output 2 | Output 2 | | |
| SCP 048 - SIO 06 | 6 | MR-50 | |
| SET B SCP 048 - SIO 06-Reader 1 | Reader 1 | | |
| SCP 048 - SIO 06-Output 2 | Output 2 | | |
| SCP 048 - SIO 07 | 7 | MR-50 | |
| SET B 2.460 | Reader 1 | | |
| SCP 048 - SIO 07-Output 2 | Output 2 | | |
| SCP 048 - SIO 08 | 8 | MR-50 | |
| SET B 2.424A | Reader 1 | | |
| SCP 048 - SIO 08-Output 2 | Output 2 | | |
| SCP 048 - SIO 09 | 9 | MR-50 | |
| SET B - SIO 09-Reader 1 | Reader 1 | | |
| SCP 048 - SIO 09-Output 2 | Output 2 | | |
| SCP 048 - SIO 10 | 10 | MR-50 | |
| SET B 2.364 ABBBBBBBBBBB | Reader 1 | | |
| SCP 048 - SIO 10-Output 2 | Output 2 | | |
| SCP 048 - SIO 11 | 11 | MR-50 | |
| SET B 2.352A | Reader 1 | | |
| SCP 048 - SIO 11-Output 2 | Output 2 | | |
| SCP 048 - SIO 12 | 12 | MR-50 | |
| SET B 2.352B | Reader 1 | | |
| SCP 048 - SIO 12-Output 2 | Output 2 | | |
| SCP 048 - SIO 13 | 13 | MR-50 | |
| SET B 2.368 | Reader 1 | | |
| SCP 048 - SIO 13-Output 2 | Output 2 | | |
| SCP 048 - SIO 14 | 14 | MR-50 | |
| SET B 2.352 | Reader 1 | | |
| SCP 048 - SIO 14-Output 2 | Output 2 | | |
| SCP 048 - SIO 15 | 15 | MR-50 | |
| SET B 2.364A | Reader 1 | | |
| SCP 048 - SIO 15-Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|--|----------|-----------|--|
| SET B Bldg Cntrl | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.73 Port Number: 3001 |
| SET B South Main Entry - 2 | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B South Main Exit (2) | Reader 1 | | |
| zSCP 010 - SIO 00 - Output 02 | Output 2 | | |
| SET B South Main Entry - 2A | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B South Main West- Entrance | Reader 1 | | |
| zSCP 010 - SIO 01 - Output 02 | Output 2 | | |
| SET B South West Exit- 3 | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B South West Exit- Entrance | Reader 1 | | |
| zSCP 010 - SIO 02 - Output 02 | Output 2 | | |
| SET B North West Exit - 4 | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B North West Exit (4) | Reader 1 | | |
| zSCP 010 - SIO 03 - Output 02 | Output 2 | | |
| SET B South Main Sliding Door | 4 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| SET B CS (1) spare | Reader 2 | | |
| SET B South Main Entry Slide Dr (1) | Reader 1 | | |
| Fire Alarm - SET B | Input 7 | | |
| SET B Stairwell 1.2S2 status | Input 5 | | |
| SET B Stairwell 1.2S1 status | Input 6 | | |
| zSCP 010 - SIO 04 - Input 08 | Input 8 | | |
| zSCP 010 - SIO 04 - Output 02 | Output 2 | | |
| zSCP 010 - SIO 04 - Output 04 | Output 4 | | |
| zSCP 010 - SIO 04 - Output 05 | Output 5 | | |
| zSCP 010 - SIO 04 - Output 06 | Output 6 | | |
| SET B Reading Room 1.306 | 5 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B West Reading 1.306 (6) | Reader 1 | | |
| zSCP 010 - SIO 05 - Output 02 | Output 2 | | |
| SET B Comm Room 1.237 | 6 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B 1.237 Comm Room (12) | Reader 1 | | |
| zSCP 010 - SIO 06 - Output 02 | Output 2 | | |
| SET B Comm Room 1.427 & 2.428 | 7 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| SET B 1.427 Comm Room (13) | Reader 1 | | |
| SET B 2.428 Comm Room (14) | Reader 2 | | |
| SET B South East Exit egress (11) | Input 6 | | |
| SET B South East Exit status (11) | Input 5 | | |
| zSCP 010 - SIO 07 - Input 07 | Input 7 | | |
| zSCP 010 - SIO 07 - Input 08 | Input 8 | | |

| Name | Address | Model | Connection Details |
|---|----------|-------|-----------------------------------|
| SET B South East Door lock (11) | Output 2 | | |
| zSCP 010 - SIO 07 - Output 04 | Output 4 | | |
| zSCP 010 - SIO 07 - Output 05 | Output 5 | | |
| zSCP 010 - SIO 07 - Output 06 | Output 6 | | |
| SET B North East Exit - 10 | 8 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| SET B 1.400 Wing Main Entry facing Q (10) | Reader 1 | | |
| SET B Courtyard Main Entry (8A) | Reader 2 | | |
| SET B Reading Room 1.378 egress | Input 6 | | |
| SET B Reading Room 1.378 status | Input 5 | | |
| zSCP 010 - SIO 08 - Input 07 | Input 7 | | |
| zSCP 010 - SIO 08 - Input 08 | Input 8 | | |
| Handicap break North east exit 10 | Output 5 | | |
| SET B Reading Room 1.378 (9) lock | Output 2 | | |
| zSCP 010 - SIO 08 - Output 04 | Output 4 | | |
| zSCP 010 - SIO 08 - Output 06 | Output 6 | | |
| SET B N. Main Sliding Door & N. Main Entry | 9 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| SET B North Main- Entrance | Reader 1 | | |
| SET B North Main Entry (8) | Reader 2 | | |
| SET B 2nd Floor North East status(15) | Input 5 | | |
| zSCP 010 - SIO 09 - Input 06 | Input 6 | | |
| zSCP 010 - SIO 09 - Input 07 | Input 7 | | |
| zSCP 010 - SIO 09 - Input 08 | Input 8 | | |
| SET B North Main Entry Slide (7) Outside Motion | Output 2 | | |
| zSCP 010 - SIO 09 - Output 04 | Output 4 | | |
| zSCP 010 - SIO 09 - Output 05 | Output 5 | | |
| zSCP 010 - SIO 09 - Output 06 | Output 6 | | |
| SET B Door 2.370 | 10 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| SET B 2.370 | Reader 1 | | |
| SCP 010 - SIO 10 - Output 2 | Output 2 | | |
| SET B Comm Room 2.234 | 11 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| SET B 2.234 Comm Room - IN | Reader 1 | | |
| SET B Comm Room 2.234 - Output 2 | Output 2 | | |
| SET B Instructional Tech Lab Door 2.312 | 12 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| SET B 2.320 Instructional Tech Lab Door | Reader 1 | | |
| SCP 010 - SIO 12 - Output 2 | Output 2 | | |
| SET B Office Door 2.320A | 13 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |

| Name | Address | Model | Connection Details |
|---|----------|----------|--|
| SET B 2.312A Comm Room | Reader 1 | | |
| SET B Door 2.320A - Output 2 | Output 2 | | |
| SET B Door 2.320A | 14 | MR-52 | Channel (IN): 3, Channel (OUT): 3 |
| SET B 2.320A IN | Reader 1 | | |
| SET B 2.320A OUT Card Only All Times | Reader 2 | | |
| Panic SETB Associate Deans Office | Input 7 | | |
| Panic SETB Associate Deans Secretary | Input 8 | | |
| SET B Door 2.312 A&B - Input 6 | Input 6 | | |
| SET B Door 2.320 A | Input 5 | | |
| SET B Door 2.312 A&B - Output 2 | Output 2 | | |
| SET B Door 2.312 A&B - Output 5 | Output 5 | | |
| SET B Door 2.312 A&B - Output 6 | Output 6 | | |
| SET B Door 2.320 B | Output 4 | | |
| SET B Computer Science Bldg Cntrl | 0 | SCPe 1Mb | IP Server - IP Address: 10.20.2.74 Port Number: 3001 |
| SET B CS Open Lab East Exit 1.536 | 0 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| SET B CS 1.536 Open Lab East Exit (6) | Reader 1 | | |
| zSCP 011 - SIO 00 - Output 02 | Output 2 | | |
| SET B CS Comm Room 2.536 | 1 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| SET B CS 2.536 Comm Room (7) | Reader 1 | | |
| zSCP 011 - SIO 01 - Output 02 | Output 2 | | |
| SET B CS RM 1.508 | 2 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| SET B CS 1.508 Computer Science Lab (9) | Reader 1 | | |
| zSCP 011 - SIO 02 - Output 02 | Output 2 | | |
| SET B CS West Hallway Entry | 3 | MR-50 | Channel (IN): 3, Channel (OUT): 3 |
| SET B CS 1.500 West Hallway- Entrance | Reader 1 | | |
| zSCP 011 - SIO 03 - Output 02 | Output 2 | | |
| SET B CS Open Lab 1.536 | 4 | MR-52 | Channel (IN): 3, Channel (OUT): 3 |
| SET B CS 1.536 Open Lab Hallway Entry (4) | Reader 2 | | |
| SET B CS 1.536 Open Lab Outside Entry (5) | Reader 1 | | |
| SET B CS 2nd Floor West Exit status | Input 8 | | |
| SET B CS East Hallway Exit egress (2) | Input 6 | | |
| SET B CS East Stairwell status (2) | Input 5 | | |
| SET B CS Open Lab 1.536 status | Input 7 | | |
| Handicap break setb B CS bldg 1ft floor | Output 5 | | |
| Handicap break setb B CS bldg 2 floor | Output 6 | | |
| SET B CS East Hallway Exit Lock (2) | Output 2 | | |
| zSCP 011 - SIO 04 - Output 04 | Output 4 | | |
| South Hall Bldg Cntrl | 0 | SCPe 1Mb | IP Server - IP Address: 10.20.2.75 Port Number: 3001 |

| Name | Address | Model | Connection Details |
|--|----------|----------|--|
| Tandy Bldg Cntrl | 0 | SCPe 1Mb | IP Server - IP Address: 10.20.2.50 Port Number: 3001 |
| Tandy Business Affairs/Telephone | 0 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS Rear Server Entry | Reader 1 | | |
| Tandy VP Business Affairs Rear Entry | Reader 2 | | |
| Fire Alarm - Tandy IS | Input 8 | | |
| Tandy IS Rear Dbl Drs Egress | Input 6 | | |
| Tandy IS Rear Dbl Drs Status | Input 5 | | |
| Tandy IS Rear Sngl Dr Status | Input 7 | | |
| Tandy Rear Dbl Drs Maglock | Output 5 | | |
| Tandy Rear Sngl Drs Maglock | Output 6 | | |
| zSCP 003 - SIO 00 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 00 - Output 04 | Output 4 | | |
| Tandy VP Business Affairs Front Dr | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy VP Business Affairs Front Dr | Reader 1 | | |
| zSCP 003 - SIO 01 - Output 02 | Output 2 | | |
| Tandy IS Bowling Alley | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS Bowling Alley | Reader 1 | | |
| zSCP 003 - SIO 02 - Output 02 | Output 2 | | |
| Tandy IS Main Entrance | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS Main Entrance | Reader 1 | | |
| zSCP 003 - SIO 03 - Output 02 | Output 2 | | |
| Tandy IS Server Rm Entry | 4 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS Server Rm Entry | Reader 1 | | |
| zSCP 003 - SIO 04 - Output 02 | Output 2 | | |
| Tandy IS Bldg Entry/Back Stairs | 5 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS Bldg Entry | Reader 1 | | |
| Tandy Stairwell (by info systems - facing lot Z) | Reader 2 | | |
| Tandy IS 125A Door Open Status | Input 5 | | |
| zSCP 003 - SIO 05 - Input 06 | Input 6 | | |
| zSCP 003 - SIO 05 - Input 07 | Input 7 | | |
| zSCP 003 - SIO 05 - Input 08 | Input 8 | | |
| zSCP 003 - SIO 05 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 05 - Output 04 | Output 4 | | |
| zSCP 003 - SIO 05 - Output 05 | Output 5 | | |
| zSCP 003 - SIO 05 - Output 06 | Output 6 | | |
| Tandy Business Offices 1 | 6 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Business Office 107 Main Door | Reader 1 | | |
| Tandy Business Office Cashier IN | Reader 2 | | |

| Name | Address | Model | Connection Details |
|--------------------------------------|----------|-------|-----------------------------------|
| Tandy Business Offices 108 exit | Input 5 | | |
| Tandy Business Offices Rear Vault | Input 6 | | |
| Tandy Business unknown | Input 7 | | |
| zSCP 003 - SIO 06 - Input 08 | Input 8 | | |
| Tandy Business Offices 108 | Output 5 | | |
| Tandy Business Rear Vault | Output 6 | | |
| zSCP 003 - SIO 06 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 06 - Output 04 | Output 4 | | |
| Tandy Business Offices 2 | 7 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Business Office Cashier OUT | Reader 1 | | |
| Tandy Business Office Vault IN | Reader 2 | | |
| Tandy Business Offices F/A input | Input 5 | | |
| zSCP 003 - SIO 07 - Input 06 | Input 6 | | |
| zSCP 003 - SIO 07 - Input 07 | Input 7 | | |
| zSCP 003 - SIO 07 - Input 08 | Input 8 | | |
| zSCP 003 - SIO 07 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 07 - Output 04 | Output 4 | | |
| zSCP 003 - SIO 07 - Output 05 | Output 5 | | |
| zSCP 003 - SIO 07 - Output 06 | Output 6 | | |
| Tandy Business Offices 3 | 8 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Business Office Vault OUT | Reader 1 | | |
| zSCP 003 - SIO 08 - Output 02 | Output 2 | | |
| Tandy Khan Network Closet | 9 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 107a Khan Network Closet | Reader 1 | | |
| zSCP 003 - SIO 09 - Output 02 | Output 2 | | |
| Tandy Mechanical/Telephone Rm | 10 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 106 Mechanical/AC-HVAC Crew | Reader 1 | | |
| zSCP 003 - SIO 10 - Output 02 | Output 2 | | |
| Tandy IS 261 Programmers | 11 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS 261 Programmers - No Access | Reader 1 | | |
| Tandy IS 280 Mechanical/by stairwell | Reader 2 | | |
| zSCP 003 - SIO 11 - Input 05 | Input 5 | | |
| zSCP 003 - SIO 11 - Input 06 | Input 6 | | |
| zSCP 003 - SIO 11 - Input 07 | Input 7 | | |
| zSCP 003 - SIO 11 - Input 08 | Input 8 | | |
| zSCP 003 - SIO 11 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 11 - Output 04 | Output 4 | | |
| zSCP 003 - SIO 11 - Output 05 | Output 5 | | |
| zSCP 003 - SIO 11 - Output 06 | Output 6 | | |

| Name | Address | Model | Connection Details |
|---|----------|-------|-----------------------------------|
| Tandy IS 266 Programmers | 12 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 2nd floor number 7 UNUSED | Reader 2 | | |
| Tandy IS 266 Programmers | Reader 1 | | |
| zSCP 003 - SIO 12 - Input 05 | Input 5 | | |
| zSCP 003 - SIO 12 - Input 06 | Input 6 | | |
| zSCP 003 - SIO 12 - Input 07 | Input 7 | | |
| zSCP 003 - SIO 12 - Input 08 | Input 8 | | |
| Tandy IS 266 Programmers Emergency Exit | Output 5 | | |
| zSCP 003 - SIO 12 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 12 - Output 04 | Output 4 | | |
| zSCP 003 - SIO 12 - Output 06 | Output 6 | | |
| Tandy IS Corridor C Programmers | 13 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy IS Corridor C Programmers | Reader 1 | | |
| zSCP 003 - SIO 13 - Output 02 | Output 2 | | |
| Tandy 212A | 14 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 212a Dist. Ed. Computer Lab | Reader 1 | | |
| zSCP 003 - SIO 14 - Output 02 | Output 2 | | |
| Tandy Mechanical Room 4 | 15 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 213 Mechanical Rm/AC Crew 4 | Reader 1 | | |
| zSCP 003 - SIO 15 - Output 02 | Output 2 | | |
| Tandy Lobby Cntrl | 16 | MR-52 | Channel (IN): 3, Channel (OUT): 3 |
| Tandy Business Office 109 Door | Reader 2 | | |
| Tandy Main Sliding Door-facing lot Z - McDonald's | Reader 1 | | |
| Fire Alarm - Tandy Lobby | Input 5 | | |
| zSCP 003 - SIO 16 - Input 06 | Input 6 | | |
| zSCP 003 - SIO 16 - Input 07 | Input 7 | | |
| zSCP 003 - SIO 16 - Input 08 | Input 8 | | |
| Tandy All Lobby Doors | Output 5 | | |
| zSCP 003 - SIO 16 - Output 02 | Output 2 | | |
| zSCP 003 - SIO 16 - Output 04 | Output 4 | | |
| zSCP 003 - SIO 16 - Output 06 | Output 6 | | |
| Tandy Server Room Bowling Ally | 17 | MR-50 | Channel (IN): 4, Channel (OUT): 4 |
| Tandy Server Room Rear Exit | Reader 1 | | |
| zSCP 003 - SIO 17 - Output 02 | Output 2 | | |
| Tandy 108A | 18 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Business Office 108A Door | Reader 1 | | |
| SCP 003 - SIO 18 - Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-------|-----------------------------------|
| Tandy Financial Aide Mechanical Room 205 | 19 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 205 Financial Aid (mechanical rm) | Reader 1 | | |
| SCP 003 - SIO 19 - Output 2 | Output 2 | | |
| Tandy 108B | 20 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Business Office 108B Door | Reader 1 | | |
| SCP 003 - SIO 20 - Output 02 | Output 2 | | |
| Tandy IS 110 | 21 | MR-50 | Channel (IN): 4, Channel (OUT): 4 |
| Tandy Business Office 110 Door | Reader 1 | | |
| SCP 003 - SIO 21 - Output 2 | Output 2 | | |
| Tandy IS 125 | 22 | MR-50 | Channel (IN): 4, Channel (OUT): 4 |
| Tandy 125 Mech Rm. by Info Systems | Reader 1 | | |
| SCP 003 - SIO 22 - Output 2 | Output 2 | | |
| Tandy Institutional Research Door 270A | 23 | MR-52 | Channel (IN): 4, Channel (OUT): 4 |
| Tandy 270a Institutional Research | Reader 1 | | |
| Tandy 270b Institutional Research | Reader 2 | | |
| SCP 003 - SIO 23 - Input 5 | Input 5 | | |
| SCP 003 - SIO 23 - Input 6 | Input 6 | | |
| SCP 003 - SIO 23 - Input 7 | Input 7 | | |
| SCP 003 - SIO 23 - Input 8 | Input 8 | | |
| SCP 003 - SIO 23 - Output 02 | Output 2 | | |
| SCP 003 - SIO 23 - Output 4 | Output 4 | | |
| SCP 003 - SIO 23 - Output 5 | Output 5 | | |
| SCP 003 - SIO 23 - Output 6 | Output 6 | | |
| Tandy Institutional Research Door 270C | 24 | MR-50 | Channel (IN): 4, Channel (OUT): 4 |
| Tandy 270c Institutional Research (no reader box) | Reader 1 | | |
| SCP 003 - SIO 24 - Output 02 | Output 2 | | |
| Tandy Financial Aide Door 206A | 25 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 206a Financial Aid | Reader 1 | | |
| SCP 003 - SIO 25 - Output 02 | Output 2 | | |
| Tandy Address 26 | 26 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Address 26-Reader 1 | Reader 1 | | |
| Tandy Address 26-Reader 2 | Reader 2 | | |
| Tandy Address 26-Input 5 | Input 5 | | |
| Tandy Address 26-Input 6 | Input 6 | | |
| Tandy Address 26-Input 7 | Input 7 | | |
| Tandy Address 26-Input 8 | Input 8 | | |
| Tandy Address 26-Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|--|----------|-----------|--|
| Tandy Address 26-Output 4 | Output 4 | | |
| Tandy Address 26-Output 5 | Output 5 | | |
| Tandy Address 26-Output 6 | Output 6 | | |
| Tandy Address 27 | 27 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Address 27 -Reader 1 | Reader 1 | | |
| Tandy Address 27 -Output 2 | Output 2 | | |
| Tandy Mechanical Room Door 218 | 28 | MR-50 | Channel (IN): 4, Channel (OUT): 4 |
| Tandy 218 Mechanical Room Door | Reader 1 | | |
| SCP 003 - SIO 28 - Output 02 | Output 2 | | |
| Tandy Financial Aide Door 206B | 29 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 206b Financial Aid | Reader 1 | | |
| SCP 003 - SIO 29 - Output 02 | Output 2 | | |
| Tandy Registration Rm 105A | 30 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 105a -HR Main | Reader 1 | | |
| Tandy 105e - Glass Door | Reader 2 | | |
| Tandy Registration 105 1st Rollup Door | Input 6 | | |
| Tandy Registration 105A-Input 5 | Input 5 | | |
| Tandy Registration 105A-Input 7 | Input 7 | | |
| Tandy Registration 105A-Input 8 | Input 8 | | |
| Tandy Registration 105A-Output 2 | Output 2 | | |
| Tandy Registration 105A-Output 5 | Output 5 | | |
| Tandy Registration 105A-Output 6 | Output 6 | | |
| Tandy Registration 105B | Output 4 | | |
| Tandy Rm T-111 | 31 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy Business Office 111 | Reader 1 | | |
| Tandy Rm T-111-Output 2 | Output 2 | | |
| Tandy Mech. Rm213 | 0 | Mini SCPe | IP Server - IP Address: 10.20.2.51 Port Number: 3001 |
| Tandy Office of Admissions Front Door | 0 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 115 Office of Admissions (front door) | Reader 1 | | |
| Tandy Rm 0-Output 2 | Output 2 | | |
| Tandy Office of Admissions Side Exit | 1 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 115 Office of Admissions (side exit) | Reader 1 | | |
| Tandy Rm1-Output 2 | Output 2 | | |
| Tandy Financial Aid Main Door 206 | 2 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 206 Financial Aid (main door) | Reader 1 | | |
| Tandy Rm 2-Output 2 | Output 2 | | |

| Name | Address | Model | Connection Details |
|---|----------|-------|-----------------------------------|
| Tandy Rm 205 | 3 | MR-50 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 205 Financial Aid (no reader box on door) | Reader 1 | | |
| Tandy Rm 3-Output 2 | Output 2 | | |
| Tandy Rm 214 | 4 | MR-52 | Channel (IN): 2, Channel (OUT): 2 |
| Tandy 214 | Reader 1 | | |
| Tandy 214 Reader 2 not used | Reader 2 | | |
| Fire Alarm | Input 7 | | |
| Tandy Rm 214-Input 8 | Input 8 | | |
| Tandy Room 205 Backdoor | Input 5 | | |
| Tandy Room 205 Panic Botton | Input 6 | | |
| Tandy Rm4-Output 2 | Output 2 | | |
| Tandy Rm4-Output 4 | Output 4 | | |
| Tandy Rm4-Output 5 | Output 5 | | |
| Tandy Rm4-Output 6 | Output 6 | | |